

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<b>FAUNA</b>			
	CHORDATA (CHORDATES)			
<b>MAMMALIA</b>				<b>Mammals</b>
ARTIODACTYLA				
<b>Antilocapridae</b>	<i>Antilocapra americana</i> (I) (Only the population of Mexico; no other population is included in the Annexes to this Regulation)			<b>Pronghorn</b> Mexican pronghorn
<b>Bovidae</b>	<i>Addax nasomaculatus</i> (I)	<i>Ammotragus lervia</i> (II)	<i>Antilope cervicapra</i> (III Nepal)	<b>Antelopes, cattle, duikers, gazelles, goats, sheep etc.</b> Addax Barbary sheep Blackbuck Wood bison Gaur  Wild yak
	<i>Bos gaurus</i> (I) (Excludes the domesticated form referenced as <i>Bos frontalis</i> which is not subject to the provisions of this Regulation)	<i>Bison bison athabascaae</i> (II)		
	<i>Bos mutus</i> (I) (Excludes the domesticated form referenced as <i>Bos grunniens</i> which is not subject to the provisions of this Regulation)			
	<i>Bos sauveli</i> (I)			Kouprey
	<i>Bubalus depressicornis</i> (I)		<i>Bubalus arnee</i> (III Nepal) (Excludes the domesticated form referenced as <i>Bubalus bubalis</i> , which is not subject to the provisions of this Regulation)	Wild Asiatic buffalo  Lowland anoa

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Bubalus mindorensis</i> (I)			Tamarau
	<i>Bubalus quarlesi</i> (I)			Mountain anoa
		<i>Budorcas taxicolor</i> (II)		Takin
	<i>Capra falconeri</i> (I)			Markhor
	<i>Capricornis milneedwardsii</i> (I)			Chinese serow
	<i>Capricornis rubidus</i> (I)			Red serow
	<i>Capricornis sumatraensis</i> (I)			Sumatran serow
	<i>Capricornis thar</i> (I)			Himalayan serow
		<i>Cephalophus brookei</i> (II)		Brooke's duiker
		<i>Cephalophus dorsalis</i> (II)		Bay duiker
	<i>Cephalophus jentinki</i> (I)			Jentink's duiker
		<i>Cephalophus ogilbyi</i> (II)		Ogilby's duiker
		<i>Cephalophus silvicultor</i> (II)		Yellow-backed duiker
		<i>Cephalophus zebra</i> (II)		Zebra duiker
		<i>Damaliscus pygargus pygargus</i> (II)		Bontebok
	<i>Gazella cuvieri</i> (I)			Cuvier's gazelle
			<i>Gazella dorcas</i> (III Algeria/ Tunisia)	Dorcas gazelle
	<i>Gazella leptoceros</i> (I)			Slender-horned gazelle
	<i>Hippotragus niger variani</i> (I)			Giant sable antelope
		<i>Kobus leche</i> (II)		Lechwe
	<i>Naemorhedus baileyi</i> (I)			Red goral
	<i>Naemorhedus caudatus</i> (I)			Long-tailed goral
	<i>Naemorhedus goral</i> (I)			Himalayan goral
	<i>Naemorhedus griseus</i> (I)			Chinese goral

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Nanger dama</i> (I)			Dama gazelle
	<i>Oryx dammah</i> (I)			Scimitar-horned oryx
	<i>Oryx leucoryx</i> (I)			Arabian oryx
		<i>Ovis ammon</i> (II) (Except for the subspecies included in Annex A)		Argali
	<i>Ovis ammon hodgsonii</i> (I)			Tibetan argali
	<i>Ovis ammon nigrimontana</i> (I)			Kara Tau argali
		<i>Ovis canadensis</i> (II) (Only the population of Mexico; no other population is included in the Annexes to this Regulation)		Mexican bighorn sheep
	<i>Ovis orientalis ophion</i> (I)			Cyprus mouflon
		<i>Ovis vignei</i> (II) (Except for the subspecies included in Annex A)		Urial
	<i>Ovis vignei vignei</i> (I)			Ladakh urial
	<i>Pantholops hodgsonii</i> (I)			Chiru
		<i>Philantomba monticola</i> (II)		Blue duiker
	<i>Pseudoryx nghetinhensis</i> (I)			Siola
	<i>Rupicapra pyrenaica ornata</i> (I)			Abruzzo chamois
		<i>Saiga borealis</i> (II)		Mongolian saiga
		<i>Saiga tatarica</i> (II)		Steppe saiga
			<i>Tetracerus quadricornis</i> (III Nepal)	Four-horned antelope
<b>Camelidae</b>		<i>Lama guanicoe</i> (II)		<b>Camels, guanaco, vicuña</b> Guanaco

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Cervidae</b>	<i>Vicugna vicugna</i> (I) (Except for the populations of: Argentina [the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan]; Bolivia [the whole population]; Chile [population of the Primera Región]; and Peru [the whole population]; which are included in Annex B)	<i>Vicugna vicugna</i> (II) (Only the populations of <b>Argentina</b> <sup>(1)</sup> [the populations of the Provinces of Jujuy and Catamarca and the semi-captive populations of the Provinces of Jujuy, Salta, Catamarca, La Rioja and San Juan]; <b>Bolivia</b> <sup>(2)</sup> [the whole population]; <b>Chile</b> <sup>(3)</sup> [population of the Primera Región]; <b>Peru</b> <sup>(4)</sup> [the whole population]; all other populations are included in Annex A)		Vicuña
				<b>Deer, huemuls, muntjacs, pudus</b>
	<i>Axis calamianensis</i> (I)			Calamian deer
	<i>Axis kuhlii</i> (I)			Bawean deer
	<i>Axis porcinus annamiticus</i> (I)			Indochina hog deer
	<i>Blastocercus dichotomus</i> (I)			Marsh deer
		<i>Cervus elaphus bactrianus</i> (II)		Bactrian deer
	<i>Cervus elaphus hanglu</i> (I)		<i>Cervus elaphus barbarus</i> (III Algeria/Tunisia)	Barbary deer
	<i>Dama dama mesopotamica</i> (I)			Hangul
	<i>Hippocamelus</i> spp. (I)			Persian fallow deer
			<i>Mazama temama cerasina</i> (III Guatemala)	Huemuls
	<i>Muntiacus crinifrons</i> (I)			Central American red brocket
	<i>Muntiacus vuquangensis</i> (I)			Black muntjac
		<i>Odocoileus virginianus mayensis</i> (III Guatemala)	Giant muntjac	
<i>Ozotoceros bezoarticus</i> (I)			Guatemalan white-tailed deer	
			Pampas deer	

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Hippopotamidae</b>	<i>Pudu puda</i> (I) <i>Rucervus duvaucelii</i> (I) <i>Rucervus eldii</i> (I)	<i>Pudu mephistophiles</i> (II)		Northern pudu Southern pudu Barasingha Eld's deer <b>Hippopotamuses</b>
<b>Moschidae</b>		<i>Hexaprotodon liberiensis</i> (II) <i>Hippopotamus amphibius</i> (II)		Pygmy hippopotamus Common hippopotamus <b>Musk deer</b>
<b>Suidae</b>	<i>Moschus</i> spp. (I) (Only the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan; all other populations are included in Annex B)	<i>Moschus</i> spp. (II) (Except for the populations of Afghanistan, Bhutan, India, Myanmar, Nepal and Pakistan, which are included in Annex A)		Musk deer <b>Babirusa, hogs, pigs</b>
<b>Tayassuidae</b>	<i>Babyrousa babyrussa</i> (I) <i>Babyrousa bolabatuensis</i> (I) <i>Babyrousa celebensis</i> (I) <i>Babyrousa togeanensis</i> (I) <i>Sus salvanius</i> (I)			Buru babirusa Bola Batu babirusa North Sulawesi babirusa Malenge babirusa Pygmy hog <b>Peccaries</b>
	<i>Catagonus wagneri</i> (I)	Tayassuidae spp. (II) (Except for the species included in Annex A and excluding the populations of <i>Pecari tajacu</i> of Mexico and the United States, which are not included in the Annexes to this Regulation)		Peccaries Chacoan peccary

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
CARNIVORA				
<b>Ailuridae</b>	<i>Ailurus fulgens</i> (I)			Red panda
<b>Canidae</b>	<p><b><i>Canis lupus</i> (I/II)</b> (All populations except those of Spain north of the Duero and Greece north of the 39th parallel. Populations of Bhutan, India, Nepal and Pakistan are listed in Appendix I; all other populations are listed in Appendix II. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i>)</p> <p><i>Canis simensis</i></p> <p><i>Speothos venaticus</i> (I)</p>	<p><i>Canis lupus</i> (II) (Populations of Spain north of the Duero and Greece north of the 39th parallel. Excludes the domesticated form and the dingo which are referenced as <i>Canis lupus familiaris</i> and <i>Canis lupus dingo</i>)</p> <p><i>Cerdocyon thous</i> (II)</p> <p><i>Chrysocyon brachyurus</i> (II)</p> <p><i>Cuon alpinus</i> (II)</p> <p><i>Lycalopex culpaeus</i> (II)</p> <p><i>Lycalopex fulvipes</i> (II)</p> <p><i>Lycalopex griseus</i> (II)</p> <p><i>Lycalopex gymnocercus</i> (II)</p> <p><i>Vulpes cana</i> (II)</p>	<p><i>Canis aureus</i> (III India)</p> <p><i>Vulpes bengalensis</i> (III India)</p>	<p><b>Dogs, foxes, wolves</b></p> <p>Golden jackal</p> <p>Grey wolf</p> <p>Ethiopian wolf</p> <p>Crab-eating fox</p> <p>Maned wolf</p> <p>Dhole</p> <p>Culpeo</p> <p>Darwin's fox</p> <p>South American grey fox</p> <p>Pampas fox</p> <p>Bush dog</p> <p>Bengal fox</p> <p>Blanford's fox</p>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Eupleridae</b>		<i>Vulpes zerda</i> (II)		Fennec fox
		<i>Cryptoprocta ferox</i> (II)		Fossa
		<i>Eupleres goudotii</i> (II)		Falanouc
		<i>Fossa fossana</i> (II)		Malagasy civet
<b>Felidae</b>		Felidae spp. (II) (Except for the species included in Annex A. Specimens of the domesticated form are not subject to the provisions of this Regulation)		<b>Cats, cheetahs, leopards, lions, tigers etc.</b> Cats
	<i>Acinonyx jubatus</i> (I) (Annual export quotas for live specimens and hunting trophies are granted as follows: Botswana: 5; Namibia: 150; Zimbabwe: 50. The trade in such specimens is subject to the provisions of Article 4(1) of this Regulation)			Cheetah
	<i>Caracal caracal</i> (I) (Only the population of Asia; all other populations are included in Annex B)			Asian Caracal
	<i>Catopuma temminckii</i> (I)			Asian golden cat
	<i>Felis nigripes</i> (I)			Black-footed cat
	<b><i>Felis silvestris</i> (II)</b>			Wild cat
	<i>Leopardus geoffroyi</i> (I)			Geoffroy's cat
	<i>Leopardus jacobitus</i> (I)			Andean mountain cat
	<i>Leopardus pardalis</i> (I)			Ocelot

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Leopardus tigrinus</i> (I)			Oncilla
	<i>Leopardus wiedii</i> (I)			Margay
	<b><i>Lynx lynx</i> (II)</b>			Eurasian lynx
	<i>Lynx pardinus</i> (I)			Iberian lynx
	<i>Neofelis nebulosa</i> (I)			Clouded leopard
	<i>Panthera leo persica</i> (I)			Asiatic lion
	<i>Panthera onca</i> (I)			Jaguar
	<i>Panthera pardus</i> (I)			Leopard
	<i>Panthera tigris</i> (I)			Tiger
	<i>Pardofelis marmorata</i> (I)			Marbled cat
	<i>Prionailurus bengalensis bengalensis</i> (I) (Only the populations of Bangladesh, India and Thailand; all other populations are included in Annex B)			Bengal leopard cat
	<i>Prionailurus iriomotensis</i> (II)			Iriomote cat
	<i>Prionailurus planiceps</i> (I)			Flat-headed cat
	<i>Prionailurus rubiginosus</i> (I) (Only the population of India; all other populations are included in Annex B)			Rusty-spotted cat
	<i>Puma concolor coryi</i> (I)			Florida cougar
	<i>Puma concolor costaricensis</i> (I)			Costa Rican cougar
	<i>Puma concolor couguar</i> (I)			Eastern cougar
	<i>Puma yagouaroundi</i> (I) (Only the populations of Central and North America; all other populations are included in Annex B)			Jaguarundi
	<i>Uncia uncia</i> (I)			Snow leopard



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Herpestidae</b>			<i>Herpestes fuscus</i> (III India) <i>Herpestes edwardsi</i> (III India) <i>Herpestes javanicus auropunctatus</i> (III India) <i>Herpestes smithii</i> (III India) <i>Herpestes urva</i> (III India) <i>Herpestes vitticollis</i> (III India)	<b>Mongoose</b> Indian brown mongoose Indian grey mongoose Small Indian mongoose Ruddy mongoose Crab-eating mongoose Stripe-necked mongoose
<b>Hyaenidae</b>			<i>Proteles cristata</i> (III Botswana)	<b>Aardwolf, hyenas</b> Aardwolf
<b>Mephitidae</b>		<i>Conepatus humboldtii</i> (II)		<b>Skunks</b> Humboldt's hog-nosed skunk
<b>Mustelidae</b>				<b>Badgers, martens, weasels etc.</b>
<b>Lutrinae</b>		Lutrinae spp. (II) (Except for the species included in Annex A)		<b>Otters</b> Otters  Cameroon clawless otter
	<i>Aonyx capensis microdon</i> (I) (Only the populations of Cameroon and Nigeria; all other populations are included in Annex B)  <i>Enhydra lutris nereis</i> (I)  <i>Lontra felina</i> (I)  <i>Lontra longicaudis</i> (I)  <i>Lontra provocax</i> (I)  <i>Lutra lutra</i> (I)  <i>Lutra nippon</i> (I)			Southern sea otter Marine otter Neotropical otter Southern river otter European otter Japanese otter

▼ **M17**

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Mustelinae</b>	<i>Pteronura brasiliensis</i> (I)			Giant otter
			<i>Eira barbara</i> (III Honduras) <i>Galictis vittata</i> (III Costa Rica) <i>Martes flavigula</i> (III India) <i>Martes foina intermedia</i> (III India) <i>Martes gwatkinsii</i> (III India) <i>Mellivora capensis</i> (III Botswana)	<b>Grisons, martens, tayra, weasels</b> Tayra Greater grison Yellow-throated marten Stone marten Nilgiri marten Honey badger
<b>Odobenidae</b>	<i>Mustela nigripes</i> (I)			Black-footed ferret
<b>Otariidae</b>		<i>Odobenus rosmarus</i> (III Canada)		<b>Walrus</b> Walrus
		<i>Arctocephalus</i> spp. (II) (Except for the species included in Annex A)		<b>Fur seals, sealions</b> Fur seals
<b>Phocidae</b>	<i>Arctocephalus philippii</i> (II)			Juan Fernández fur seal
	<i>Arctocephalus townsendi</i> (I)			Guadalupe fur seal
<b>Procyonidae</b>		<i>Mirounga leonina</i> (II)		<b>Seals</b> Southern elephant seal
	<i>Monachus</i> spp. (I)			Monk seals
			<i>Bassaricyon gabbii</i> (III Costa Rica) <i>Bassariscus sumichrasti</i> (III Costa Rica) <i>Nasua narica</i> (III Honduras)	<b>Coatis, olingos</b> Olingo Cacomistle White-nosed coati

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Ursidae</b>	<i>Ailuropoda melanoleuca</i> (I) <i>Helarctos malayanus</i> (I) <i>Melursus ursinus</i> (I) <i>Tremarctos ornatus</i> (I) <b><i>Ursus arctos</i> (I/II)</b> (Only the populations of Bhutan, China, Mexico and Mongolia and the subspecies <i>Ursus arctos isabellinus</i> are listed in Appendix I; all other populations and subspecies are listed in Appendix II) <i>Ursus thibetanus</i> (I)	Ursidae spp. (II) (Except for the species included in Annex A)	<i>Nasua nasua solitaria</i> (III Uruguay) <i>Potos flavus</i> (III Honduras)	South Brazilian coati Kinkajou <b>Bears</b> Bears Giant panda Sun bear Sloth bear Spectacled bear Brown bear
<b>Viverridae</b>		<i>Cynogale bennettii</i> (II) <i>Hemigalus derbyanus</i> (II)	<i>Arctictis binturong</i> (III India) <i>Civettictis civetta</i> (III Botswana)  <i>Paguma larvata</i> (III India) <i>Paradoxurus hermaphroditus</i> (III India) <i>Paradoxurus jerdoni</i> (III India)	Asian black bear <b>Binturong, civets, linsangs, otter-civet, palm civet</b> Binturong African civet Otter civet Banded palm civet Masked palm civet Asian palm civet Jerdon's palm civet

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Prionodon linsang</i> (II)		Banded linsang
	<i>Prionodon pardicolor</i> (I)			Spotted linsang
			<i>Viverra civettina</i> (III India)	Malabar large-spotted civet
			<i>Viverra zibetha</i> (III India)	Large Indian civet
			<i>Viverricula indica</i> (III India)	Small Indian civet
CETACEA				<b>Cetaceans (dolphins, porpoises, whales)</b>
	<b>CETACEA spp. (I/II) (5)</b>			Cetaceans
CHIROPTERA				
<b>Phyllostomidae</b>				<b>Broad-nosed bats</b>
			<i>Platyrrhinus lineatus</i> (III Uruguay)	White-lined bat
				<b>Fruit bats, flying foxes</b>
<b>Pteropodidae</b>		<i>Acerodon</i> spp. (II) (Except for the species included in Annex A)		Flying foxes
	<i>Acerodon jubatus</i> (I)			Golden-capped fruit bat
		<i>Pteropus</i> spp. (II) (Except for the species included in Annex A)		Flying foxes
	<i>Pteropus insularis</i> (I)			Ruck flying fox
	<i>Pteropus livingstonii</i> (II)			Comoro flying fox
	<i>Pteropus loochoensis</i> (I)			Japanese flying fox
	<i>Pteropus mariannus</i> (I)			Marianas flying fox
	<i>Pteropus molossinus</i> (I)			Caroline flying fox
	<i>Pteropus pelewensis</i> (I)			Pelew flying fox
	<i>Pteropus pilosus</i> (I)			Large Pelew flying fox
	<i>Pteropus rodricensis</i> (II)			Rodrigues flying fox

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Pteropus samoensis</i> (I)			Samoan flying fox
	<i>Pteropus tonganus</i> (I)			Pacific flying fox
	<i>Pteropus ualanus</i> (I)			Kosrae flying fox
	<i>Pteropus voeltzkowi</i> (II)			Pemba flying fox
	<i>Pteropus yapensis</i> (I)			Yap flying fox
CINGULATA				
<b>Dasypodidae</b>				<b>Armadillos</b>
			<i>Cabassous centralis</i> (III Costa Rica)	Northern naked-tailed armadillo
			<i>Cabassous tatouay</i> (III Uruguay)	Greater naked-tailed armadillo
		<i>Chaetophractus nationi</i> (II) (A zero annual export quota has been established. All specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly)		Andean hairy armadillo
	<i>Priodontes maximus</i> (I)			Giant armadillo
DASYUROMORPHIA				
<b>Dasyuridae</b>				<b>Dunnarts, marsupial mice, planigales</b>
	<i>Sminthopsis longicaudata</i> (I)			Long-tailed dunnart
	<i>Sminthopsis psammophila</i> (I)			Sandhill dunnart
<b>Thylacinidae</b>				<b>Tasmanian wolf, thylacine</b>
	<i>Thylacinus cynocephalus</i> (possibly extinct) (I)			Thylacine
DIPROTODONTIA				
<b>Macropodidae</b>				<b>Kangaroos, wallabies</b>
		<i>Dendrolagus inustus</i> (II)		Grizzled tree-kangaroo

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Dendrolagus ursinus</i> (II)		Ursine tree-kangaroo
	<i>Lagorchestes hirsutus</i> (I)			Rufous hare-wallaby
	<i>Lagostrophus fasciatus</i> (I)			Banded hare-wallaby
	<i>Onychogalea fraenata</i> (I)			Bridled nail-tail wallaby
	<i>Onychogalea lunata</i> (I)			Crescent nail-tail wallaby
<b>Phalangeridae</b>		<i>Phalanger intercastellanus</i> (II)		<b>Cuscus</b>
		<i>Phalanger mimicus</i> (II)		Eastern common cuscus
		<i>Phalanger orientalis</i> (II)		Southern common cuscus
		<i>Spilocuscus kraemeri</i> (II)		Northern common cuscus
		<i>Spilocuscus maculatus</i> (II)		Admiralty Island cuscus
		<i>Spilocuscus papuensis</i> (II)		Common spotted cuscus
<b>Potoroidae</b>				Waigeou cuscus
	<i>Bettongia</i> spp. (I)			<b>Rat-kangaroos</b>
	<i>Caloprymnus campestris</i> (possibly extinct) (I)			Bettongs
				Desert rat-kangaroo
<b>Vombatidae</b>				<b>Wombats</b>
	<i>Lasiorhinus krefftii</i> (I)			Northern hairy-nosed wombat
LAGOMORPHA				
<b>Leporidae</b>				<b>Hares, rabbits</b>
	<i>Caprolagus hispidus</i> (I)			Hispid hare
	<i>Romerolagus diazi</i> (I)			Volcano rabbit
MONOTREMATA				
<b>Tachyglossidae</b>		<i>Zaglossus</i> spp. (II)		<b>Echidnas, spiny anteaters</b>
				Long-beaked echidnas

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
PERAMELEMORPHIA				
<b>Chaeropodidae</b>				<b>Bandicoots</b>
	<i>Chaeropus ecaudatus</i> (possibly extinct) (I)			Pig-footed bandicoot
<b>Peramelidae</b>				
	<i>Perameles bougainville</i> (I)			Western barred bandicoot
<b>Thylacomyidae</b>				
	<i>Macrotis lagotis</i> (I)			Greater bilby
	<i>Macrotis leucura</i> (I)			Lesser bilby
PERISSODACTYLA				
<b>Equidae</b>				<b>Horses, wild asses, zebras</b>
	<i>Equus africanus</i> (I) (Excludes the domesticated form referenced as <i>Equus asinus</i> , which is not subject to the provisions of this Regulation)			African ass
	<i>Equus grevyi</i> (I)			Grévy's zebra
	<i>Equus hemionus</i> (I/II) (The species is listed in Appendix II but subspecies <i>Equus hemionus hemionus</i> and <i>Equus hemionus khur</i> are listed in Appendix I)			Asiatic wild ass
	<i>Equus kiang</i> (II)			Kiang
	<i>Equus przewalskii</i> (I)			Przewalski's horse
		<i>Equus zebra hartmannae</i> (II)		Hartmann's mountain zebra
	<i>Equus zebra zebra</i> (I)			Cape mountain zebra
<b>Rhinocerotidae</b>				<b>Rhinoceroses</b>

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	Rhinocerotidae spp. (I) (Except for the subspecies included in Annex B)			Rhinoceroses
		<i>Ceratotherium simum simum</i> (II) (Only the populations of South Africa and Swaziland; all other populations are included in Annex A. For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable destinations and trade in hunting trophies. All other specimens shall be deemed to be specimens of species included in Annex A and trade in them shall be regulated accordingly)		Southern white rhinoceros
<b>Tapiridae</b>				<b>Tapirs</b>
	Tapiridae spp. (I) (Except for the species included in Annex B)			Tapirs
		<i>Tapirus terrestris</i> (II)		South American tapir
PHOLIDOTA				
<b>Manidae</b>				<b>Pangolins</b>
		<i>Manis</i> spp. (II) (A zero annual export quota has been established for <i>Manis crassicaudata</i> , <i>Manis culionensis</i> , <i>Manis javanica</i> and <i>Manis pentadactyla</i> for specimens removed from the wild and traded for primarily commercial purposes)		Pangolins
PILOSA				
<b>Bradypodidae</b>				<b>Three-toed sloths</b>



▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Megalonychidae</b>		<i>Bradypus variegatus</i> (II)		Brown-throated sloth <b>Two-toed sloth</b>
<b>Myrmecophagidae</b>		<i>Myrmecophaga tridactyla</i> (II)	<i>Choloepus hoffmanni</i> (III Costa Rica)	Hoffmann's two-toed sloth <b>American anteaters</b>
PRIMATES		PRIMATES spp. (II) (Except for the species included in Annex A)	<i>Tamandua mexicana</i> (III Guatemala)	Giant anteater Northern tamandua <b>Primates (apes and monkeys)</b>
<b>Atelidae</b>	<i>Alouatta coibensis</i> (I) <i>Alouatta palliata</i> (I) <i>Alouatta pigra</i> (I) <i>Ateles geoffroyi frontatus</i> (I) <i>Ateles geoffroyi panamensis</i> (I) <i>Brachyteles arachnoides</i> (I) <i>Brachyteles hypoxanthus</i> (I) <i>Oreonax flavicauda</i> (I)			Primates <b>Howlers, spider monkeys</b> Coiba Island howler Mantled howler Guatemalan black howler Black-browed spider monkey Red spider monkey Southern murreti Northern murreti Yellow-tailed woolly monkey
<b>Cebidae</b>	<i>Callimico goeldii</i> (I) <i>Callithrix aurita</i> (I) <i>Callithrix flaviceps</i> (I) <i>Leontopithecus</i> spp. (I)			<b>Marmosets, tamarins, New-world monkeys</b> Goeldi's marmoset Buffy-tufted marmoset Buffy-headed marmoset Lion tamarins

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Cercopithecidae</b>	<i>Saguinus bicolor</i> (I)			Pied tamarin
	<i>Saguinus geoffroyi</i> (I)			Geoffroy's tamarin
	<i>Saguinus leucopus</i> (I)			White-footed tamarin
	<i>Saguinus martinsi</i> (I)			Martins' bare-face tamarin
	<i>Saguinus oedipus</i> (I)			Cottontop tamarin
	<i>Saimiri oerstedii</i> (I)			Central American squirrel monkey
				<b>Old-world monkeys</b>
	<i>Cercocebus galeritus</i> (I)			Tana River mangabey
	<i>Cercopithecus diana</i> (I)			Diana monkey
	<i>Cercopithecus roloway</i> (I)			Roloway monkey
	<i>Cercopithecus solatus</i> (II)			Sun-tailed monkey
	<i>Colobus satanas</i> (II)			Black colobus
	<i>Macaca silenus</i> (I)			Lion-tailed macaque
	<i>Mandrillus leucophaeus</i> (I)			Drill
	<i>Mandrillus sphinx</i> (I)			Mandrill
	<i>Nasalis larvatus</i> (I)			Proboscis monkey
	<i>Ptilocolobus foai</i> (II)			Central African red colobus
	<i>Ptilocolobus gordonorum</i> (II)			Uzungwa red colobus
	<i>Ptilocolobus kirkii</i> (I)			Zanzibar red colobus
	<i>Ptilocolobus pennantii</i> (II)			Pennant's red colobus
	<i>Ptilocolobus preussi</i> (II)			Preuss's red colobus
	<i>Ptilocolobus rufomitratu</i> (I)			Tana River red colobus
	<i>Ptilocolobus tephrosceles</i> (II)			Ugandan red colobus
	<i>Ptilocolobus tholloni</i> (II)			Thollon's red colobus
	<i>Presbytis potenzi</i> (I)			Mentawai langur

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Pygathrix</i> spp. (I)			Douc langurs
	<i>Rhinopithecus</i> spp. (I)			Snub-nosed monkeys
	<i>Semnopithecus ajax</i> (I)			Kashmir grey langur
	<i>Semnopithecus dussumieri</i> (I)			Southern Plains grey langur
	<i>Semnopithecus entellus</i> (I)			Northern Plains grey langur
	<i>Semnopithecus hector</i> (I)			Tarai grey langur
	<i>Semnopithecus hypoleucos</i> (I)			Black-footed grey langur
	<i>Semnopithecus priam</i> (I)			Tufted grey langur
	<i>Semnopithecus schistaceus</i> (I)			Nepal grey langur
	<i>Simias concolor</i> (I)			Simakobou
	<i>Trachypithecus delacouri</i> (II)			Delacour's langur
	<i>Trachypithecus francoisi</i> (II)			François's langur
	<i>Trachypithecus geei</i> (I)			Gee's golden langur
	<i>Trachypithecus hatinhensis</i> (II)			Hatinh langur
	<i>Trachypithecus johnii</i> (II)			Nilgiri langur
	<i>Trachypithecus laotum</i> (II)			Laotian langur
	<i>Trachypithecus pileatus</i> (I)			Capped langur
	<i>Trachypithecus poliocephalus</i> (II)			White-headed langur
	<i>Trachypithecus shortridgei</i> (I)			Shortridge's langur
<b>Cheirogaleidae</b>				<b>Dwarf lemurs and mouse-lemurs</b>
	Cheirogaleidae spp. (I)			Dwarf lemurs and mouse lemurs
<b>Daubentoniidae</b>				<b>Aye-aye</b>
	<i>Daubentonia madagascariensis</i> (I)			Aye-aye
<b>Hominidae</b>				<b>Chimpanzees, gorillas, orang-utan</b>
	<i>Gorilla beringei</i> (I)			Eastern gorilla

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Gorilla gorilla</i> (I)			Western gorilla
	<i>Pan</i> spp. (I)			Chimpanzee and bonobo
	<i>Pongo abelii</i> (I)			Sumatran orangutan
	<i>Pongo pygmaeus</i> (I)			Bornean orangutan
<b>Hylobatidae</b>				<b>Gibbons</b>
	Hylobatidae spp. (I)			Gibbons
<b>Indriidae</b>				<b>Indri, sifakas and woolly lemurs</b>
	Indriidae spp. (I)			Indri, sifakas and woolly lemurs
<b>Lemuridae</b>				<b>Large lemurs</b>
	Lemuridae spp. (I)			Large lemurs
<b>Lepilemuridae</b>				<b>Sportive lemurs</b>
	Lepilemuridae spp. (I)			Sportive lemurs
<b>Lorisidae</b>				<b>Lorises</b>
	<i>Nycticebus</i> spp. (I)			Slow lorises
<b>Pitheciidae</b>				<b>Uacaris, titis, sakis</b>
	<i>Cacajao</i> spp. (I)			Uacaris
	<i>Callicebus barbarabrownae</i> (II)			Barbara Brown's Titi
	<i>Callicebus melanochir</i> (II)			Coastal Black-handed Titi
	<i>Callicebus nigrifrons</i> (II)			Black-fronted Titi
	<i>Callicebus personatus</i> (II)			Atlantic titi
	<i>Chiropotes albinasus</i> (I)			White-nosed saki
<b>Tarsiidae</b>				<b>Tarsiers</b>
	<i>Tarsius</i> spp. (II)			Tarsiers
PROBOSCIDEA				
<b>Elephantidae</b>				<b>Elephants</b>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Elephas maximus</i> (I)			Asian elephant
	<i>Loxodonta africana</i> (I) (Except for the populations of Botswana, Namibia, South Africa and Zimbabwe, which are included in Annex B)	<i>Loxodonta africana</i> (II) (Only the populations of Botswana, Namibia, South Africa and Zimbabwe <sup>(6)</sup> ; all other populations are included in Annex A)		African elephant
RODENTIA				
<b>Chinchillidae</b>				<b>Chinchillas</b>
	<i>Chinchilla</i> spp. (I) (Specimens of the domesticated form are not subject to the provisions of this Regulation)			Chinchillas
<b>Cuniculidae</b>				<b>Pacas</b>
			<i>Cuniculus paca</i> (III Honduras)	Lowland paca
<b>Dasyproctidae</b>				<b>Agoutis</b>
			<i>Dasyprocta punctata</i> (III Honduras)	Central American agouti
<b>Erethizontidae</b>				<b>New-world porcupines</b>
			<i>Sphiggurus mexicanus</i> (III Honduras)	Mexican hairy dwarf porcupine
			<i>Sphiggurus spinosus</i> (III Uruguay)	Paraguaian hairy dwarf porcupine
<b>Hystriidae</b>				<b>Old-world porcupines</b>
	<i>Hystrix cristata</i>			Crested porcupine
<b>Muridae</b>				<b>Mice, rats</b>
	<i>Leporillus conditor</i> (I)			Greater stick-nest rat
	<i>Pseudomys fieldi praeconis</i> (I)			Shark Bay mouse
	<i>Xeromys myoides</i> (I)			False water rat

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Sciuridae</b>	<i>Zyomys pedunculatus</i> (I)			Central Australian rock rat
	<i>Cynomys mexicanus</i> (I)			<b>Ground squirrels, tree squirrels</b>
			<i>Marmota caudata</i> (III India)	Mexican prairie dog
			<i>Marmota himalayana</i> (III India)	Long-tailed marmot
		<i>Ratufa</i> spp. (II)		Himalayan marmot
		<i>Callosciurus erythraeus</i>		Giant squirrels
		<i>Sciurus carolinensis</i>		Pallas's Squirrel
				Grey squirrel
			<i>Sciurus deppei</i> (III Costa Rica)	Deppe's squirrel
		<i>Sciurus niger</i>		Eastern Fox Squirrel
SCANDENTIA		SCANDENTIA spp. (II)		<b>Treeshrews</b>
SIRENIA				
<b>Dugongidae</b>				<b>Dugong</b>
	<i>Dugong dugon</i> (I)			Dugong
<b>Trichechidae</b>				<b>Manatees</b>
	Trichechidae spp. (I/II) ( <i>Trichechus inunguis</i> and <i>Trichechus manatus</i> are listed in Appendix I. <i>Trichechus senega- lensis</i> is listed in Appendix II)			Manatees
AVES				<b>Birds</b>
ANSERIFORMES				
<b>Anatidae</b>				<b>Ducks, geese, swans etc.</b>
	<i>Anas aucklandica</i> (I)			Auckland Islands teal
		<i>Anas bernieri</i> (II)		Madagascar teal

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Anas chlorotis</i> (I)	<i>Anas formosa</i> (II)		Brown teal
	<i>Anas laysanensis</i> (I)			Baikal teal
	<i>Anas nesiotis</i> (I)			Laysan duck
	<b><i>Anas querquedula</i></b>			Campbell Island teal
	<i>Asarcornis scutulata</i> (I)			Garganey
	<i>Aythya innotata</i>			White-winged duck
	<b><i>Aythya nyroca</i></b>			Madagascar pochard
	<i>Branta canadensis leucopareia</i> (I)			Ferruginous duck
	<b><i>Branta ruficollis</i></b> (II)			Aleutian goose
	<i>Branta sandvicensis</i> (I)			Red-breasted goose
			<i>Cairina moschata</i> (III Honduras)	Nene
		<i>Coscoroba coscoroba</i> (II)		Muscovy duck
		<i>Cygnus melancoryphus</i> (II)		Coscoroba swan
		<i>Dendrocygna arborea</i> (II)		Black-necked swan
			<i>Dendrocygna autumnalis</i> (III Honduras)	West Indian whistling-duck
			<i>Dendrocygna bicolor</i> (III Honduras)	Black-bellied whistling-duck
	<i>Mergus octosetaceus</i>			Fulvous whistling-duck
	<b><i>Oxyura leucocephala</i></b> (II)	<i>Oxyura jamaicensis</i>		Brazilian merganser
	<i>Rhodonessa caryophyllacea</i> (possibly extinct) (I)			Ruddy duck
		<i>Sarkidiornis melanotos</i> (II)		White-headed duck
	<i>Tadorna cristata</i>			Pink-headed duck
				Comb duck
				Crested shelduck

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
APODIFORMES				
<b>Trochilidae</b>		Trochilidae spp. (II) (Except for the species included in Annex A)		<b>Hummingbirds</b>
	<i>Glaucis dohrnii</i> (I)			Hummingbirds
CHARADRIIFORMES				
<b>Burhinidae</b>			<i>Burhinus bistriatus</i> (III Guatemala)	<b>Thick-knees</b>
				Double-striped thick-knee
<b>Laridae</b>				<b>Gulls, terns</b>
	<i>Larus relictus</i> (I)			Relict gull
<b>Scolopacidae</b>				<b>Curlews, greenshanks</b>
	<i>Numenius borealis</i> (I)			Eskimo curlew
	<i>Numenius tenuirostris</i> (I)			Slender-billed curlew
	<i>Tringa guttifer</i> (I)			Nordmann's greenshank
CICONIIFORMES				
<b>Ardeidae</b>				<b>Egrets, herons</b>
	<i>Ardea alba</i>			Great egret
	<i>Bubulcus ibis</i>			Cattle egret
	<i>Egretta garzetta</i>			Little egret
<b>Balaenicipitidae</b>				<b>Shoebill, whale-headed stork</b>
		<i>Balaeniceps rex</i> (II)		Shoebill
<b>Ciconiidae</b>				<b>Storks</b>
	<i>Ciconia boyciana</i> (I)			Oriental stork
	<i>Ciconia nigra</i> (II)			Black stork
	<i>Ciconia stormi</i>			Storm's stork



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>	
<b>Phoenicopteridae</b>	<i>Jabiru mycteria</i> (I)			Jabiru	
	<i>Leptoptilos dubius</i>			Greater adjutant stork	
	<i>Mycteria cinerea</i> (I)			Milky stork	
<b>Threskiornithidae</b>		Phoenicopteridae spp. (II) (Except for the species included in Annex A)		<b>Flamingos</b> Flamingos	
	<b><i>Phoenicopterus ruber</i> (II)</b>			Greater flamingo	
		<i>Eudocimus ruber</i> (II)		<b>Ibises, spoonbills</b> Scarlet ibis	
	<i>Geronticus calvus</i> (II)			Bald ibis	
	<i>Geronticus eremita</i> (I)			Waldrapp	
	<i>Nipponia nippon</i> (I)			Crested ibis	
	<b><i>Platalea leucorodia</i> (II)</b>			Eurasian spoonbill	
	<i>Pseudibis gigantea</i>			Giant ibis	
	COLUMBIFORMES				<b>Doves, pigeons</b>
		<i>Caloenas nicobarica</i> (I)			Nicobar pigeon
<i>Claravis godefrida</i>				Purple-winged ground-dove	
<b><i>Columba livia</i></b>				Rock pigeon	
<i>Ducula mindorensis</i> (I)				Mindoro zone-tailed pigeon	
		<i>Gallicolumba luzonica</i> (II)		Luzon bleeding-heart	
		<i>Goura</i> spp. (II)		Crowned-pigeons	
<i>Leptotila wellsi</i>				Grenada dove	
			<i>Nesoenas mayeri</i> (III Mauritius)	Pink pigeon	
<b><i>Streptopelia turtur</i></b>				European turtle-dove	

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
CORACIIFORMES				
<b>Bucerotidae</b>				<b>Hornbills</b>
		<i>Aceros</i> spp. (II) (Except for the species included in Annex A)		Hornbills
	<i>Aceros nipalensis</i> (I)			Rufous-necked hornbill
		<i>Anorrhinus</i> spp. (II)		Hornbills
		<i>Anthracoceros</i> spp. (II)		Hornbills
		<i>Berenicornis</i> spp. (II)		Hornbills
		<i>Buceros</i> spp. (II) (Except for the species included in Annex A)		Hornbills
	<i>Buceros bicornis</i> (I)			Great hornbill
		<i>Penelopides</i> spp. (II)		Hornbills
	<i>Rhinoplax vigil</i> (I)			Helmeted hornbill
		<i>Rhyticeros</i> spp. (II) (Except for the species included in Annex A)		Hornbills
	<i>Rhyticeros subruficollis</i> (I)			Plain-pouched hornbill
CUCULIFORMES				
<b>Musophagidae</b>				<b>Turacos</b>
		<i>Tauraco</i> spp. (II) (Except for the species included in Annex A)		Turacos
	<i>Tauraco bannermani</i> (II)			Bannerman's turaco
FALCONIFORMES				<b>Diurnal birds of prey (eagles, falcons, hawks, vultures)</b>
		FALCONIFORMES spp. (II) (Except for the species included in Annex A and for one species of the family Cathartidae included in Annex C; the other species of that family are not included in the Annexes to this Regulation)		Diurnal birds of prey

▼ **M17**

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Accipitridae</b>				<b>Hawks, eagles</b>
	<i>Accipiter brevipes</i> (II)			Levant sparrowhawk
	<i>Accipiter gentilis</i> (II)			Northern goshawk
	<i>Accipiter nisus</i> (II)			Eurasian sparrowhawk
	<i>Aegypius monachus</i> (II)			Cinereous vulture
	<i>Aquila adalberti</i> (I)			Adalbert's eagle
	<i>Aquila chrysaetos</i> (II)			Golden eagle
	<i>Aquila clanga</i> (II)			Greater spotted eagle
	<i>Aquila heliaca</i> (I)			Imperial eagle
	<i>Aquila pomarina</i> (II)			Lesser spotted eagle
	<i>Buteo buteo</i> (II)			Common buzzard
	<i>Buteo lagopus</i> (II)			Rough-legged buzzard
	<i>Buteo rufinus</i> (II)			Long-legged buzzard
	<i>Chondrohierax uncinatus wilsonii</i> (I)			Cuban hook-billed kite
	<i>Circaetus gallicus</i> (II)			Short-toed snake-eagle
	<i>Circus aeruginosus</i> (II)			Western marsh-harrier
	<i>Circus cyaneus</i> (II)			Northern harrier
	<i>Circus macrourus</i> (II)			Pallid harrier
	<i>Circus pygargus</i> (II)			Montagu's harrier
	<i>Elanus caeruleus</i> (II)			Black-winged kite
	<i>Eutriorchis astur</i> (II)			Madagascar serpent-eagle

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<b><i>Gypaetus barbatus</i> (II)</b>			Lammergeier
	<b><i>Gyps fulvus</i> (II)</b>			Eurasian griffon
	<i>Haliaeetus</i> spp. (I/II) ( <i>Haliaeetus albicilla</i> is listed in Appendix I; the other species are listed in Appendix II)			Sea-eagles
	<i>Harpia harpyja</i> (I)			Harpy eagle
	<b><i>Hieraaetus fasciatus</i> (II)</b>			Bonelli's eagle
	<b><i>Hieraaetus pennatus</i> (II)</b>			Booted eagle
	<i>Leucopternis occidentalis</i> (II)			Grey-backed hawk
	<b><i>Milvus migrans</i> (II)</b> (Except for <i>Milvus migrans lineatus</i> which is included in Annex B)			Black kite
	<b><i>Milvus milvus</i> (II)</b>			Red kite
	<b><i>Neophron percnopterus</i> (II)</b>			Egyptian vulture
	<b><i>Pernis apivorus</i> (II)</b>			European honey-buzzard
	<i>Pithecophaga jefferyi</i> (I)			Great Philippine eagle
<b>Cathartidae</b>				<b>New world vultures</b>
	<i>Gymnogyps californianus</i> (I)			California condor
			<i>Sarcoramphus papa</i> (III Honduras)	King vulture
	<i>Vultur gryphus</i> (I)			Andean condor
<b>Falconidae</b>				<b>Falcons</b>
	<i>Falco araeus</i> (I)			Seychelles kestrel
	<b><i>Falco biarmicus</i> (II)</b>			Lanner falcon
	<b><i>Falco cherrug</i> (II)</b>			Saker falcon
	<b><i>Falco columbarius</i> (II)</b>			Merlin

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Falco eleonora</i> (II)			Eleonora's falcon
	<i>Falco jugger</i> (I)			Laggar falcon
	<i>Falco naumanni</i> (II)			Lesser kestrel
	<i>Falco newtoni</i> (I) (Only the population of the Seychelles)			Newton's kestrel
	<i>Falco pelegrinoides</i> (I)			Barbary falcon
	<i>Falco peregrinus</i> (I)			Peregrine falcon
	<i>Falco punctatus</i> (I)			Mauritius kestrel
	<i>Falco rusticolus</i> (I)			Gyr falcon
	<i>Falco subbuteo</i> (II)			Eurasian hobby
	<i>Falco tinnunculus</i> (II)			Common kestrel
	<i>Falco vespertinus</i> (II)			Red-footed falcon
<b>Pandionidae</b>				<b>Ospreys</b>
	<i>Pandion haliaetus</i> (II)			Osprey
GALLIFORMES				
<b>Cracidae</b>				
	<i>Crax alberti</i> (III Colombia)			Blue-knobbed curassow
	<i>Crax blumenbachii</i> (I)			Red-billed curassow
		<i>Crax fasciolata</i>	<i>Crax daubentoni</i> (III Colombia)	Yellow-knobbed curassow
			<i>Crax globulosa</i> (III Colombia)	Bare-faced Curassow
			<i>Crax rubra</i> (III Colombia, Costa Rica, Guatemala and Honduras)	Wattled curassow
				Great curassow
	<i>Mitu mitu</i> (I)			Alagoas curassow
	<i>Oreophasis derbianus</i> (I)			Horned guan

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<i>Ortalis vetula</i> (III Guatemala/ Honduras)	Plain chachalaca
			<i>Pauxi pauxi</i> (III Colombia)	Helmeted curassow
	<i>Penelope albipennis</i> (I)		<i>Penelope purpurascens</i> (III Honduras)	White-winged guan Crested guan
	<i>Pipile jacutinga</i> (I)		<i>Penelopina nigra</i> (III Guatemala)	Highland guan
	<i>Pipile pipile</i> (I)			Black-fronted piping guan
<b>Megapodiidae</b>	<i>Macrocephalon maleo</i> (I)			Trinidad piping guan <b>Megapodes, scrubfowl</b>
<b>Phasianidae</b>				Maleo
		<i>Argusianus argus</i> (II)		<b>Grouse, guineafowl, partridges, pheasants, tragopans</b> Great argus
	<i>Catreus wallichii</i> (I)			Cheer pheasant
	<i>Colinus virginianus ridgwayi</i> (I)			Masked bobwhite
	<i>Crossoptilon crossoptilon</i> (I)			White eared-pheasant
	<i>Crossoptilon mantchuricum</i> (I)			Brown eared-pheasant
		<i>Gallus sonneratii</i> (II)		Grey junglefowl
		<i>Ithaginis cruentus</i> (II)		Blood pheasant
	<i>Lophophorus impejanus</i> (I)			Himalayan monal
	<i>Lophophorus lhuysii</i> (I)			Chinese monal
	<i>Lophophorus sclateri</i> (I)			Sclater's monal
	<i>Lophura edwardsi</i> (I)			Edwards' pheasant
		<i>Lophura hatinhensis</i>		Vietnamese fireback
	<i>Lophura imperialis</i> (I)			Imperial pheasant
	<i>Lophura swinhoii</i> (I)			Swinhoe's pheasant

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<i>Meleagris ocellata</i> (III Guatemala)	Ocellated turkey
	<i>Odontophorus strophium</i>			Gorgeted wood-quail
	<i>Ophrysia superciliosa</i>			Himalayan quail
		<i>Pavo muticus</i> (II)		Green peafowl
		<i>Polyplectron bicalcaratum</i> (II)		Grey peacock-pheasant
		<i>Polyplectron germaini</i> (II)		Germain's peacock-pheasant
		<i>Polyplectron malacense</i> (II)		Malayan peacock-pheasant
	<i>Polyplectron napoleonis</i> (I)			Palawan peacock-pheasant
		<i>Polyplectron schleiermachersi</i> (II)		Bornean peacock-pheasant
	<i>Rheinardia ocellata</i> (I)			Crested argus
	<i>Syrmaticus ellioti</i> (I)			Elliot's pheasant
	<i>Syrmaticus humiae</i> (I)			Hume's pheasant
	<i>Syrmaticus mikado</i> (I)			Mikado pheasant
	<i>Tetraogallus caspius</i> (I)			Caspian snowcock
	<i>Tetraogallus tibetanus</i> (I)			Tibetan snowcock
	<i>Tragopan blythii</i> (I)			Blyth's tragopan
	<i>Tragopan caboti</i> (I)			Cabot's tragopan
	<i>Tragopan melanocephalus</i> (I)			Western tragopan
	<i>Tympanuchus cupido attwateri</i> (I)		<i>Tragopan satyra</i> (III Nepal)	Satyr tragopan
				Attwater's prairie-chicken
GRUIFORMES				
<b>Gruidae</b>				<b>Cranes</b>
		Gruidae spp. (II) (Except for the species included in Annex A)		Cranes
	<i>Grus americana</i> (I)			Whooping crane

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Grus canadensis</i> (I/II) (The species is listed in Appendix II but subspecies <i>Grus canadensis nesiotus</i> and <i>Grus canadensis pulla</i> are listed in Appendix I)			Sandhill crane
	<b><i>Grus grus</i> (II)</b>			Common crane
	<i>Grus japonensis</i> (I)			Red-crowned crane
	<i>Grus leucogeranus</i> (I)			Siberian crane
	<i>Grus monacha</i> (I)			Hooded crane
	<i>Grus nigricollis</i> (I)			Black-necked crane
	<i>Grus vipio</i> (I)			White-necked crane
<b>Otididae</b>		Otididae spp. (II) (Except for the species included in Annex A)		<b>Bustards</b>
				Bustards
	<i>Ardeotis nigriceps</i> (I)			Indian bustard
	<i>Chlamydotis macqueenii</i> (I)			Macqueen's bustard
	<i>Chlamydotis undulata</i> (I)			Houbara bustard
	<i>Houbaropsis bengalensis</i> (I)			Bengal florican
	<b><i>Otis tarda</i> (II)</b>			Great bustard
	<i>Sypheotides indicus</i> (II)			Lesser florican
	<b><i>Tetrax tetrax</i> (II)</b>			Little bustard
<b>Rallidae</b>				<b>Coots, rails</b>
	<i>Gallirallus sylvestris</i> (I)			Lord Howe rail
<b>Rhynochetidae</b>				<b>Kagu</b>
	<i>Rhynochetos jubatus</i> (I)			Kagu
PASSERIFORMES				
<b>Atrichornithidae</b>				<b>Scrub-birds</b>



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Cotingidae</b>	<i>Atrichornis clamosus</i> (I)			Noisy scrub-bird
			<i>Cephalopterus ornatus</i> (III Colombia)	<b>Cotingas</b> Amazonian umbrella bird
			<i>Cephalopterus penduliger</i> (III Colombia)	Long-wattled umbrella bird
<b>Emberizidae</b>	<i>Cotinga maculata</i> (I)			Banded cotinga
	<i>Xipholena atropurpurea</i> (I)	<i>Rupicola</i> spp. (II)		Cocks-of-the-rock
		<i>Gubernatrix cristata</i> (II)		White-winged cotinga
<b>Estrildidae</b>		<i>Paroaria capitata</i> (II)		<b>Cardinals, tanagers</b> Yellow cardinal
		<i>Paroaria coronata</i> (II)		Yellow-billed cardinal
		<i>Tangara fastuosa</i> (II)		Red-crested cardinal
		<i>Amandava formosa</i> (II)		Seven-coloured tanager
		<i>Lonchura fuscata</i>		<b>Mannikins, waxbills</b> Green avadavat
<b>Fringillidae</b>		<i>Lonchura oryzivora</i> (II)		Timor sparrow
		<i>Poephila cincta cincta</i> (II)		Java sparrow
	<i>Carduelis cucullata</i> (I)			Southern black-throated finch
<b>Hirundinidae</b>		<i>Carduelis yarrellii</i> (II)		<b>Finches</b> Red siskin
	<i>Pseudochelidon sirintarae</i> (I)			Yellow-faced siskin
<b>Icteridae</b>				<b>Martins</b> White-eyed river-martin
	<i>Xanthopsar flavus</i> (I)			<b>New-world blackbirds</b> Saffron-cowled blackbird

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Meliphagidae</b>	<i>Lichenostomus melanops cassidix</i> (I)			<b>Honey-eaters</b> Helmeted honeyeater
<b>Muscicapidae</b>	<i>Acrocephalus rodericanus</i> (III Mauritius)	<i>Cyornis ruckii</i> (II)		<b>Old-world flycatchers, babblers, etc.</b> Rodrigues brush-warbler
	<i>Dasyornis broadbenti litoralis</i> (possibly extinct) (I)			Rueck's blue-flycatcher Western rufous bristlebird
	<i>Dasyornis longirostris</i> (I)			Western bristlebird
		<i>Garrulax canorus</i> (II)		Chinese Hwamei
		<i>Garrulax taewanus</i> (II)		Taiwan Hwamei
		<i>Leiothrix argentauris</i> (II)		Silver-eared mesia
		<i>Leiothrix lutea</i> (II)		Red-billed leiothrix
		<i>Liocichla omeiensis</i> (II)		Omei Shan liocichla
	<i>Picathartes gymnocephalus</i> (I)			White-necked rockfowl
	<i>Picathartes oreas</i> (I)			Grey-necked rockfowl
			<i>Terpsiphone bourbonensis</i> (III Mauritius)	Mascarene paradise-flycatcher
<b>Paradisaeidae</b>		Paradisaeidae spp. (II)		<b>Birds of paradise</b> Birds of paradise
<b>Pittidae</b>		<i>Pitta guajana</i> (II)		<b>Pittas</b> Banded pitta
	<i>Pitta gurneyi</i> (I)			Gurney's pitta
	<i>Pitta kochi</i> (I)			Whiskered pitta
		<i>Pitta nympha</i> (II)		Fairy pitta
<b>Pycnonotidae</b>				<b>Bulbuls</b>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Sturnidae</b>		<i>Pycnonotus zeylanicus</i> (II)		Straw-headed bulbul
		<i>Gracula religiosa</i> (II)		<b>Mynas</b>
	<i>Leucopsar rothschildi</i> (I)			Hill myna
<b>Zosteropidae</b>				Bali myna
	<i>Zosterops albogularis</i> (I)			<b>White-eyes</b>
PELECANIFORMES				White-chested white-eye
<b>Fregatidae</b>				<b>Frigatebirds</b>
	<i>Fregata andrewsi</i> (I)			Christmas frigatebird
<b>Pelecanidae</b>				<b>Pelicans</b>
	<i>Pelecanus crispus</i> (I)			Dalmatian pelican
<b>Sulidae</b>				<b>Boobies</b>
	<i>Papasula abbotti</i> (I)			Abbott's booby
PICIFORMES				
<b>Capitonidae</b>				<b>Barbets</b>
			<i>Semnornis ramphastinus</i> (III Colombia)	Toucan barbet
<b>Picidae</b>				<b>Woodpeckers</b>
	<i>Campephilus imperialis</i> (I)			Imperial woodpecker
	<i>Dryocopus javensis richardsi</i> (I)			Tristram's woodpecker
<b>Ramphastidae</b>				<b>Toucans</b>
			<i>Bailloniuss bailloni</i> (III Argentina)	Saffron toucanet
		<i>Pteroglossus aracari</i> (II)		Black-necked aracari
			<i>Pteroglossus castanotis</i> (III Argentina)	Chestnut-eared aracari

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Pteroglossus viridis</i> (II)		Green aracari
		<i>Ramphastos sulfuratus</i> (II)	<i>Ramphastos dicolorus</i> (III Argentina)	Red-breasted toucan
		<i>Ramphastos toco</i> (II)		Keel-billed toucan
		<i>Ramphastos tucanus</i> (II)		Toco toucan
		<i>Ramphastos vitellinus</i> (II)		Red-billed toucan
			<i>Selenidera maculirostris</i> (III Argentina)	Channel-billed toucan
				Spot-billed toucanet
PODICIPEDIFORMES				
<b>Podicipedidae</b>				<b>Grebes</b>
	<i>Podilymbus gigas</i> (I)			Atitlan Grebe
PROCELLARIIFORMES				
<b>Diomedeidae</b>				<b>Albatrosses</b>
	<i>Phoebastria albatrus</i> (I)			Short-tailed albatross
PSITTACIFORMES				<b>Cockatoos, lories, macaws, parakeets, parrots etc.</b>
		PSITTACIFORMES spp. (II) (Except for the species included in Annex A and excluding <i>Agapornis roseicollis</i> , <i>Melopsittacus undulatus</i> , <i>Nymphicus hollandicus</i> and <i>Psit- tacula krameri</i> , which are not included in the Annexes to this Regulation)		<b>Parrots, etc.</b>
<b>Cacatuidae</b>				<b>Cockatoos</b>
	<i>Cacatua goffiniana</i> (I)			Tanimbar cockatoo
	<i>Cacatua haematuropygia</i> (I)			Philippine cockatoo
	<i>Cacatua moluccensis</i> (I)			Salmon-crested cockatoo

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Loriidae</b>	<i>Cacatua sulphurea</i> (I)			Yellow-crested cockatoo
	<i>Probosciger aterrimus</i> (I)			Palm cockatoo
	<i>Eos histrio</i> (I)			<b>Lories, lorikeets</b>
	<i>Vini</i> spp. (I/II) ( <i>Vini ultramarina</i> is listed in Appendix I, the other species are listed in Appendix II)			Red and blue lory Blue lorikeets
<b>Psittacidae</b>	<i>Amazona arausiaca</i> (I)			<b>Amazons, macaws, parakeets, parrots</b>
	<i>Amazona auropalliata</i> (I)			Red-necked parrot
	<i>Amazona barbadensis</i> (I)			Yellow-naped parrot
	<i>Amazona brasiliensis</i> (I)			Yellow-shouldered parrot
	<i>Amazona finschi</i> (I)			Red-tailed parrot
	<i>Amazona guildingii</i> (I)			Lilac-crowned parrot
	<i>Amazona imperialis</i> (I)			St Vincent parrot
	<i>Amazona leucocephala</i> (I)			Imperial parrot
	<i>Amazona oratrix</i> (I)			Cuban parrot
	<i>Amazona pretrei</i> (I)			Yellow-headed parrot
	<i>Amazona rhodocorytha</i> (I)			Red-spectacled parrot
	<i>Amazona tucumana</i> (I)			Red-browed parrot
	<i>Amazona versicolor</i> (I)			Tucuman parrot
	<i>Amazona vinacea</i> (I)			Saint Lucia parrot
	<i>Amazona viridigenalis</i> (I)			Vinaceous parrot
	<i>Amazona vittata</i> (I)			Green-cheeked parrot
	<i>Anodorhynchus</i> spp. (I)			Puerto Rican parrot Blue macaws

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Ara ambiguus</i> (I)			Great green macaw
	<i>Ara glaucogularis</i> (I)			Blue-throated macaw
	<i>Ara macao</i> (I)			Scarlet macaw
	<i>Ara militaris</i> (I)			Military macaw
	<i>Ara rubrogenys</i> (I)			Red-fronted macaw
	<i>Cyanopsitta spixii</i> (I)			Spix's macaw
	<i>Cyanoramphus cookii</i> (I)			Norfolk Island parakeet
	<i>Cyanoramphus forbesi</i> (I)			Chatham Island yellow-fronted parakeet
	<i>Cyanoramphus novaezelandiae</i> (I)			Red-fronted parakeet
	<i>Cyanoramphus saisseti</i> (I)			Red-crowned parakeet
	<i>Cyclopsitta diophthalma coxeni</i> (I)			Coxen's double-eyed fig parrot
	<i>Eunymphicus cornutus</i> (I)			Horned parakeet
	<i>Guarouba guarouba</i> (I)			Golden parakeet
	<i>Neophema chrysogaster</i> (I)			Orange-bellied parrot
	<i>Ognorhynchus icterotis</i> (I)			Yellow-eared parrot
	<i>Pezoporus occidentalis</i> (possibly extinct) (I)			Night parrot
	<i>Pezoporus wallicus</i> (I)			Ground parrot
	<i>Pionopsitta pileata</i> (I)			Pileated parrot
	<i>Primolius couloni</i> (I)			Blue-headed macaw
	<i>Primolius maracana</i> (I)			Blue-winged macaw
	<i>Psephotus chrysopterygius</i> (I)			Golden-shouldered parrot
	<i>Psephotus dissimilis</i> (I)			Hooded parrot
	<i>Psephotus pulcherrimus</i> (possibly extinct) (I)			Paradise parrot

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Psittacula echo</i> (I)			Mauritius parakeet
	<i>Pyrrhura cruentata</i> (I)			Blue-throated parakeet
	<i>Rhynchopsitta</i> spp. (I)			Thick-billed parrots
	<i>Strigops habroptilus</i> (I)			Kakapo
RHEIFORMES				
<b>Rheidae</b>				<b>Rheas</b>
	<i>Pterocnemia pennata</i> (I) (Except <i>Pterocnemia pennata pennata</i> which is included in Annex B)			Lesser rhea
		<i>Pterocnemia pennata pennata</i> (II)		Lesser rhea
		<i>Rhea americana</i> (II)		Greater rhea
SPHENISCIFORMES				
<b>Spheniscidae</b>				<b>Penguins</b>
		<i>Spheniscus demersus</i> (II)		Jackass penguin
	<i>Spheniscus humboldti</i> (I)			Humboldt penguin
STRIGIFORMES				
		STRIGIFORMES spp. (II) (Except for the species included in Annex A)		<b>Owls</b>
				Owls
<b>Strigidae</b>				<b>Owls</b>
	<i>Aegolius funereus</i> (II)			Boreal owl
	<i>Asio flammeus</i> (II)			Short-eared owl
	<i>Asio otus</i> (II)			Long-eared owl
	<i>Athene noctua</i> (II)			Little owl
	<i>Bubo bubo</i> (II) (Except for <i>Bubo bubo bengalensis</i> which is included in Annex B)			Eurasian eagle-owl

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<b><i>Glaucidium passerinum</i> (II)</b>			Eurasian pygmy-owl
	<i>Heteroglaux blewitti</i> (I)			Forest owl
	<i>Mimizuku gurneyi</i> (I)			Lesser eagle-owl
	<i>Ninox natalis</i> (I)			Christmas hawk-owl
	<i>Ninox novaeseelandiae undulata</i> (I)			Norfolk boobook
	<b><i>Nyctea scandiaca</i> (II)</b>			Snowy owl
	<i>Otus ireneae</i> (II)			Sokoke scops-owl
	<b><i>Otus scops</i> (II)</b>			Eurasian scops-owl
	<b><i>Strix aluco</i> (II)</b>			Tawny owl
	<b><i>Strix nebulosa</i> (II)</b>			Great grey owl
	<b><i>Strix uralensis</i> (II)</b> (Except for <i>Strix uralensis davidi</i> which is included in Annex B)			Ural owl
	<b><i>Surnia ulula</i> (II)</b>			Northern hawk owl
<b>Tytonidae</b>				<b>Barn owls</b>
	<b><i>Tyto alba</i> (II)</b>			Barn owl
	<i>Tyto soumagnei</i> (I)			Soumagne's owl
STRUTHIONIFORMES				
<b>Struthionidae</b>				<b>Ostrich</b>
	<i>Struthio camelus</i> (I) (Only the populations of Algeria, Burkina Faso, Cameroon, the Central African Republic, Chad, Mali, Mauritania, Morocco, the Niger, Nigeria, Senegal and the Sudan; all other populations are not included in the Annexes to this Regulation)			Ostrich



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
TINAMIFORMES				
<b>Tinamidae</b>				<b>Tinamous</b>
	<i>Tinamus solitarius</i> (I)			Solitary tinamou
TROGONIFORMES				
<b>Trogonidae</b>				<b>Quetzals</b>
	<i>Pharomachrus mocinno</i> (I)			Resplendent quetzal
<b>REPTILIA</b>				<b>Reptiles</b>
CROCODYLIA				<b>Alligators, caimans, crocodiles</b>
		CROCODYLIA spp. (II) (Except for the species included in Annex A)		Alligators, caimans, crocodiles
<b>Alligatoridae</b>				<b>Alligators, caimans</b>
	<i>Alligator sinensis</i> (I)			Chinese alligator
	<i>Caiman crocodilus apaporiensis</i> (I)			Rio Apaporis spectacled caiman
	<i>Caiman latirostris</i> (I) (Except for the population of Argentina, which is included in Annex B)			Broad-nosed caiman
	<i>Melanosuchus niger</i> (I) (Except for the population of Brazil, which is included in Annex B, and population of Ecuador, which is included in Annex B and is subject to a zero annual export quota until an annual export quota has been approved by the CITES Secretariat and the IUCN/SSC Crocodile Specialist Group)			Black caiman
<b>Crocodylidae</b>				<b>Crocodiles</b>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Crocodylus acutus</i> (I) (Except for the population of Cuba, which is included in Annex B)			American crocodile
	<i>Crocodylus cataphractus</i> (I)			African slender-snouted crocodile
	<i>Crocodylus intermedius</i> (I)			Orinoco crocodile
	<i>Crocodylus mindorensis</i> (I)			Philippine crocodile
	<i>Crocodylus moreletii</i> (I) (Except for the populations of Belize and Mexico, which are included in Annex B, with a zero quota for wild specimens traded for commercial purposes)			Morelet's crocodile
	<i>Crocodylus niloticus</i> (I) (Except for the populations of Botswana, Egypt [subject to a zero quota for wild specimens traded for commercial purposes], Ethiopia, Kenya, Madagascar, Malawi, Mozambique, Namibia, South Africa, Uganda, the United Republic of Tanzania [subject to an annual export quota of no more than 1 600 wild specimens including hunting trophies, in addition to ranched specimens], Zambia and Zimbabwe; these populations are included in Annex B)			Nile crocodile
	<i>Crocodylus palustris</i> (I)			Mugger crocodile

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Crocodylus porosus</i> (I) (Except for the populations of Australia, Indonesia and Papua New Guinea, which are included in Annex B)			Estuarine crocodile
	<i>Crocodylus rhombifer</i> (I)			Cuban crocodile
	<i>Crocodylus siamensis</i> (I)			Siamese crocodile
	<i>Osteolaemus tetraspis</i> (I)			West African dwarf crocodile
	<i>Tomistoma schlegelii</i> (I)			False gharial
<b>Gavialidae</b>				<b>Gavial or gharial</b>
	<i>Gavialis gangeticus</i> (I)			Gharial
RHYNCHOCEPHALIA				
<b>Sphenodontidae</b>				<b>Tuataras</b>
	<i>Sphenodon</i> spp. (I)			Tuataras
SAURIA				
<b>Agamidae</b>				<b>Spiny-tailed lizards (Agamas, mastigures)</b>
		<i>Uromastyx</i> spp. (II)		Spiny-tailed lizards
<b>Chamaeleonidae</b>				<b>Chameleons</b>
		<i>Bradypodion</i> spp. (II)		Dwarf chameleons
		<i>Brookesia</i> spp. (II) (Except for the species included in Annex A)		Dwarf chameleons
	<i>Brookesia perarmata</i> (I)			Dwarf spiny chameleon
		<i>Calumma</i> spp. (II)		Madagascar chameleons

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Chamaeleo</i> spp. (II) (Except for the species included in Annex A)		Chameleons
	<b><i>Chamaeleo chamaeleon</i> (II)</b>			European chameleon
		<i>Furcifer</i> spp. (II)		Madagascar chameleons
		<i>Kinyongia</i> spp. (II)		Dwarf chameleons
		<i>Nadzikambia</i> spp. (II)		Dwarf chameleons
<b>Cordylidae</b>				<b>Spiny-tailed lizards</b>
		<i>Cordylus</i> spp. (II)		Girdled lizards
<b>Gekkonidae</b>				<b>Geckos</b>
		<i>Cyrtodactylus serpensinsula</i> (II)		Serpent Island gecko
			<i>Hoplodactylus</i> spp. (III New Zealand)	Sticky-toed geckos
			<i>Naultinus</i> spp. (III New Zealand)	New Zealand tree geckos
		<i>Phelsuma</i> spp. (II) (Except for the species included in Annex A)		Day geckos
	<i>Phelsuma guentheri</i> (II)			Round Island day gecko
		<i>Uroplatus</i> spp. (II)		Flat-tailed geckos
<b>Helodermatidae</b>				<b>Gila monster and beaded lizard</b>
		<i>Heloderma</i> spp. (II) (Except for the subspecies included in Annex A)		Gila monster and beaded lizard
	<i>Heloderma horridum charles-bogerti</i> (I)			Guatemalan beaded lizard
<b>Iguanidae</b>				<b>Iguanas</b>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Amblyrhynchus cristatus</i> (II)		Galapagos marine iguana
	<i>Brachylophus</i> spp. (I)			Fiji iguanas
		<i>Conolophus</i> spp. (II)		Galapagos land iguanas
		<i>Ctenosaura bakeri</i> (II)		Utila Island spiny-tailed iguana
		<i>Ctenosaura oedirhina</i> (II)		Roatan spiny-tailed iguana
		<i>Ctenosaura melanosterna</i> (II)		Rio Aguan Valley spiny-tailed iguana
		<i>Ctenosaura palearis</i> (II)		Guatemalan Spiny-tailed iguana
	<i>Cyclura</i> spp. (I)			Ground iguanas
		<i>Iguana</i> spp. (II)		Iguanas
		<i>Phrynosoma blainvillii</i> (II)		Blaineville's horned lizard
		<i>Phrynosoma cerroense</i> (II)		Cedros Island horned lizard
		<i>Phrynosoma coronatum</i> (II)		Coast horned lizard
		<i>Phrynosoma wigginsi</i> (II)		Gulf coast horned lizard
	<i>Sauromalus varius</i> (I)			San Esteban Island chuckwalla
<b>Lacertidae</b>				<b>Lizards</b>
	<i>Gallotia simonyi</i> (I)			Hierro giant lizard
	<i>Podarcis lilfordi</i> (II)			Lilford's wall lizard
	<i>Podarcis pityusensis</i> (II)			Ibiza wall lizard
<b>Scincidae</b>				<b>Skinks</b>
		<i>Corucia zebrata</i> (II)		Prehensile-tailed skink

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Teiidae</b>		<i>Crocodilurus amazonicus</i> (II)		<b>Caiman lizards, tegu lizards</b>
		<i>Dracaena</i> spp. (II)		Dragon lizard
		<i>Tupinambis</i> spp.(II)		Caiman lizards
				Tegus
<b>Varanidae</b>		<i>Varanus</i> spp. (II) (Except for the species included in Annex A)		<b>Monitor lizards</b>
	<i>Varanus bengalensis</i> (I)			Monitor lizards
	<i>Varanus flavescens</i> (I)			Indian monitor
	<i>Varanus griseus</i> (I)			Yellow monitor
	<i>Varanus komodoensis</i> (I)			Desert monitor
	<i>Varanus nebulosus</i> (I)			Komodo dragon
	<i>Varanus olivaceus</i> (II)			Clouded monitor
				Gray's monitor
<b>Xenosauridae</b>		<i>Shinisaurus crocodilurus</i> (II)		<b>Chinese crocodile lizard</b>
				Chinese crocodile lizard
SERPENTES				<b>Snakes</b>
<b>Boidae</b>		Boidae spp. (II) (Except for the species included in Annex A)		<b>Boas</b>
	<i>Acrantophis</i> spp. (I)			Boas
				Madagascar ground boas

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Boa constrictor occidentalis</i> (I)			Argentine boa constrictor
	<i>Epicrates inornatus</i> (I)			Puerto Rican boa
	<i>Epicrates monensis</i> (I)			Virgin Island tree boa
	<i>Epicrates subflavus</i> (I)			Jamaican boa
	<b><i>Eryx jaculus</i> (II)</b>			Spotted sand boa
	<i>Sanzinia madagascariensis</i> (I)			Madagascar tree boa
<b>Bolyeriidae</b>				<b>Round Island boas</b>
		Bolyeriidae spp. (II) (Except for the species included in Annex A)		Round Island boas
	<i>Bolyeria multocarinata</i> (I)			Round Island boa
	<i>Casarea dussumieri</i> (I)			Round Island keel-scaled boa
<b>Colubridae</b>				<b>Typical snakes, water snakes, whip snakes</b>
			<i>Atretium schistosum</i> (III India)	Olive keel-back
			<i>Cerberus rynchops</i> (III India)	Dog-faced water snake
		<i>Clelia clelia</i> (II)		Mussurana
		<i>Cyclagras gigas</i> (II)		False cobra
		<i>Elachistodon westermanni</i> (II)		Indian egg-eating snake
		<i>Ptyas mucosus</i> (II)		Common rat snake

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Elapidae</b>			<i>Xenochrophis piscator</i> (III India)	Checkered keel-back
				<b>Cobras, coral snakes</b>
		<i>Hoplocephalus bungaroides</i> (II)		Broad-headed snake
			<i>Micrurus diastema</i> (III Honduras)	Atlantic coral snake
			<i>Micrurus nigrocinctus</i> (III Honduras)	Central American coral snake
		<i>Naja atra</i> (II)		Chinese spitting cobra
		<i>Naja kaouthia</i> (II)		Monocellate cobra
		<i>Naja mandalayensis</i> (II)		Burmese spitting cobra
		<i>Naja naja</i> (II)		Indian cobra
		<i>Naja oxiana</i> (II)		Central Asian cobra
		<i>Naja philippinensis</i> (II)		North Philippine spitting cobra
		<i>Naja sagittifera</i> (II)		Andaman cobra
		<i>Naja samarensis</i> (II)		South-east Philippine spitting cobra
<b>Loxocemidae</b>		<i>Naja siamensis</i> (II)		Indochinese spitting cobra
		<i>Naja sputatrix</i> (II)		South Indonesian spitting cobra
<b>Pythonidae</b>		<i>Naja sumatrana</i> (II)		Golden spitting cobra
		<i>Ophiophagus hannah</i> (II)		King cobra
		Loxocemidae spp. (II)		<b>Mexican dwarf boa</b> Mexican dwarf boa
				<b>Pythons</b>



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		Pythonidae spp. (II) (Except for the subspecies included in Annex A)		Pythons
<b>Tropidophiidae</b>	<i>Python molurus molurus</i> (I)			Indian python
		Tropidophiidae spp. (II)		<b>Wood boas</b>
<b>Viperidae</b>				Wood boas
			<i>Crotalus durissus</i> (III Honduras)	<b>Vipers</b>
		<i>Crotalus durissus unicolor</i>		Neotropical rattlesnake
			<i>Daboia russelii</i> (III India)	Aruba rattlesnake
	<i>Vipera latifii</i>			Russell's viper
	<i>Vipera ursinii</i> (I) (Only the population of Europe, except the area which formerly constituted the USSR; these latter populations are not included in the Annexes to this Regulation)			Latifi's viper
		<i>Vipera wagneri</i> (II)		Orsini's viper
TESTUDINES				Wagner's viper
<b>Carettochelyidae</b>				<b>Pig-nosed turtles</b>
		<i>Carettochelys insculpta</i> (II)		Pig-nosed turtle
<b>Chelidae</b>				<b>Austro-American sideneck turtles</b>
		<i>Chelodina mccordi</i> (II)		Roti snake-necked turtle
	<i>Pseudemydura umbrina</i> (I)			Western swamp turtle
<b>Cheloniidae</b>				<b>Sea turtles</b>

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Chelydridae</b>	Cheloniidae spp. (I)			Sea turtles <b>Snapping turtles</b>
<b>Dermatemydidae</b>			<i>Macrochelys temminckii</i> (III United States of America)	Alligator snapping turtle
<b>Dermochelyidae</b>		<i>Dermatemys mawii</i> (II)		<b>Central American river turtle</b> Central American river turtle
<b>Emydidae</b>	<i>Dermochelys coriacea</i> (I)			<b>Leatherback turtle</b> Leatherback turtle
		<i>Chrysemys picta</i>		<b>Box turtles, freshwater turtles</b> Painted turtle
	<i>Glyptemys muhlenbergii</i> (I)	<i>Glyptemys insculpta</i> (II)		Wood turtle Bog turtle
			<i>Graptemys</i> spp. (III United States of America)	Map turtles
	<i>Terrapene coahuila</i> (I)	<i>Terrapene</i> spp. (II) (Except for the species included in Annex A)		Box turtles Aquatic box turtle
<b>Geoemydidae</b>		<i>Trachemys scripta elegans</i>		Red-eared terrapin
	<i>Batagur affinis</i> (I)			Southern river terrapin
	<i>Batagur baska</i> (I)			Batagur
		<i>Batagur</i> spp. (Except for the species included in Annex A)		
		<i>Cuora</i> spp. (II)		Asian box turtles
	<i>Geoclemys hamiltonii</i> (I)		<i>Geoemyda spengleri</i> (III China)	Black pond turtle Black-breasted leaf turtle

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Heosemys annandalii</i> (II)		Yellow-headed temple turtle
		<i>Heosemys depressa</i> (II)		Arakan forest turtle
		<i>Heosemys grandis</i> (II)		Giant Asian turtle
		<i>Heosemys spinosa</i> (II)		Spiny turtle
		<i>Leucocephalon yuwonoi</i> (II)		Sulawesi forest turtle
		<i>Malayemys macrocephala</i> (II)		Snail-eating turtle
		<i>Malayemys subtrijuga</i> (II)		Ricefield turtle
		<i>Mauremys annamensis</i> (II)		Annam pond turtle
			<i>Mauremys iversoni</i> (III China)	Fujian pond turtle
			<i>Mauremys megalcephala</i> (III China)	Big-headed pond turtle
		<i>Mauremys mutica</i> (II)		Yellow pond turtle
			<i>Mauremys nigricans</i> (III China)	Red-necked turtle
			<i>Mauremys pritchardi</i> (III China)	Pritchard's pond turtle
			<i>Mauremys reevesii</i> (III China)	Reeves's turtle
			<i>Mauremys sinensis</i> (III China)	Chinese stripe-necked turtle
	<i>Melanochelys tricarinata</i> (I)			Three-keeled land tortoise
	<i>Morenia ocellata</i> (I)			Burmese swamp turtle
		<i>Notochelys platynota</i> (II)		Malayan flat-shelled turtle
			<i>Ocadia glyphistoma</i> (III China)	Notch-mouthed stripe-necked turtle
			<i>Ocadia philippeni</i> (III China)	Philippen's stripe-necked turtle
		<i>Orlitia borneensis</i> (II)		Malayan giant turtle
		<i>Pangshura</i> spp. (II) (Except for the species included in Annex A)		Roofed turtles
	<i>Pangshura tecta</i> (I)			Indian roofed turtle

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<i>Sacalia bealei</i> (III China)	Beal's eyed turtle
			<i>Sacalia pseudocellata</i> (III China)	Chinese false-eyed turtle
			<i>Sacalia quadriocellata</i> (III China)	Four-eyed turtle
		<i>Siebenrockiella crassicollis</i> (II)		Black marsh turtle
		<i>Siebenrockiella leytenis</i> (II)		Philippine pond turtle
<b>Platysternidae</b>				<b>Big-headed turtle</b>
		<i>Platysternon megacephalum</i> (II)		Big-headed turtle
<b>Podocnemididae</b>				<b>Afro-American sideneck turtles</b>
		<i>Erymnochelys madagascariensis</i> (II)		Madagascar sideneck turtle
		<i>Peltocephalus dumerilianus</i> (II)		Big-headed sideneck turtle
		<i>Podocnemis</i> spp. (II)		Sideneck turtles
<b>Testudinidae</b>				<b>Tortoises</b>
		Testudinidae spp. (II) (Except for the species included in Annex A; a zero annual export quota has been established for <i>Geochelone sulcata</i> for specimens removed from the wild and traded for primarily commercial purposes)		Tortoises
	<i>Astrochelys radiata</i> (I)			Radiated tortoise
	<i>Astrochelys yniphora</i> (I)			Angonoka
	<i>Chelonoidis nigra</i> (I)			Galapagos giant tortoise
	<i>Gopherus flavomarginatus</i> (I)			Bolson tortoise
	<i>Malacochersus tornieri</i> (II)			Pancake tortoise
	<i>Psammobates geometricus</i> (I)			Geometric tortoise

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Trionychidae</b>	<i>Pyxis arachnoides</i> (I)			Madagascar spider tortoise
	<i>Pyxis planicauda</i> (I)			Madagascar flat-shelled tortoise
	<b><i>Testudo graeca</i> (II)</b>			Spur-thighed tortoise
	<b><i>Testudo hermanni</i> (II)</b>			Hermann's tortoise
	<i>Testudo kleinmanni</i> (I)			Egyptian tortoise
	<b><i>Testudo marginata</i> (II)</b>			Margined tortoise
				<b>Softshell turtles, terrapins</b>
			<i>Amyda cartilaginea</i> (II)	Southeast Asian soft-shelled turtle
	<i>Apalone spinifera atra</i> (I)			Cuatro Cienagas soft-shell turtle
	<i>Aspideretes gangeticus</i> (I)			Indian soft-shell turtle
	<i>Aspideretes hurum</i> (I)			Peacock soft-shell turtle
	<i>Aspideretes nigricans</i> (I)			Black soft-shell turtle
			<i>Chitra</i> spp. (II)	Narrow-headed softshell turtles
			<i>Lissemys punctata</i> (II)	Indo-Gangetic flapshell turtle
		<i>Lissemys scutata</i> (II)	Burmese flapshell turtle	
			<i>Palea steindachneri</i> (III China)	Wattle-necked softshell turtle
				Giant softshell turtles
			<i>Pelodiscus axenaria</i> (III China)	Hunan softshell turtle
			<i>Pelodiscus maackii</i> (III China)	Amur softshell turtle
			<i>Pelodiscus parviformis</i> (III China)	Chinese softshell turtle
			<i>Rafetus swinhoei</i> (III China)	Yangtze softshell turtle
<b>AMPHIBIA</b>				<b>Amphibians</b>
ANURA				Frogs and toads
<b>Bufonidae</b>				<b>Toads</b>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Altiphrynoides</i> spp. (I)			Malcolm's Ethiopian toad
	<i>Atelopus zeteki</i> (I)			Golden frog
	<i>Bufo periglenes</i> (I)			Golden toad
	<i>Bufo superciliaris</i> (I)			Cameroon toad
	<i>Nectophrynoides</i> spp. (I)			African viviparous toads
	<i>Nimbaphrynoides</i> spp. (I)			Nimba toads
	<i>Spinophrynoides</i> spp. (I)			Osgood's Ethiopian toad
<b>Calyptocephalellidae</b>			<i>Calyptocephalella gayi</i> (III Chile)	Chilean helmeted water toad
<b>Dendrobatidae</b>		<i>Allobates femoralis</i> (II)		<b>Poison frogs</b> Brilliant-thighed poison frog
		<i>Allobates zaparo</i> (II)		Sanguine poison frog
		<i>Cryptophyllobates azureiventris</i> (II)		Sky-blue poison frog
		<i>Dendrobates</i> spp. (II)		Poison-arrow frogs
		<i>Epipedobates</i> spp. (II)		Poison-arrow frogs
		<i>Phyllobates</i> spp. (II)		Poison-arrow frogs
<b>Hylidae</b>		<i>Agalychnis</i> spp. (II) (?)		<b>Tree frogs</b>
<b>Mantellidae</b>		<i>Mantella</i> spp. (II)		<b>Mantella frogs</b> Mantella frogs
<b>Microhylidae</b>	<i>Dyscophus antongilii</i> (I)			<b>Tomato frogs</b> Tomato frog
<b>Ranidae</b>		<i>Scaphiophryne gottlebei</i> (II)		Red rain frog
		<i>Conraua goliath</i>		<b>Frogs</b> Goliath frog

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Rheobatrachidae</b>		<i>Euphlyctis hexadactylus</i> (II) <i>Hoplobatrachus tigerinus</i> (II) <i>Rana catesbeiana</i>		Six-fingered frog Tiger frog American bullfrog <b>Gastric brooding frogs</b> Gastric brooding frog
CAUDATA				
<b>Ambystomatidae</b>	<i>Rheobatrachus silus</i> (II)	<i>Rheobatrachus</i> spp. (II) (Except for the species included in Annex A)		Platypus frog <b>Axolotls</b> Lake Patzcuaro salamander Axolotl
<b>Cryptobranchidae</b>	<i>Andrias</i> spp. (I)	<i>Ambystoma dumerilii</i> (II) <i>Ambystoma mexicanum</i> (II)	<i>Cryptobranchus alleganiensis</i> (III United States of America)	<b>Giant salamanders</b> Giant salamanders Hellbender
<b>Salamandridae</b>	<i>Neurergus kaiseri</i> (I)			<b>Salamanders and newts</b> Kaiser's spotted newt
ELASMOBRANCHII				<b>Sharks and rays</b>
CARCHARHINIFORMES				
<b>Sphyrnidae</b>			<i>Sphyrna lewini</i> (III Costa Rica)	<b>Hammerhead sharks</b> Scalloped hammerhead shark
LAMNIFORMES				
<b>Cetorhinidae</b>		<i>Cetorhinus maximus</i> (II)		<b>Basking sharks</b> Basking shark
<b>Lamnidae</b>		<i>Carcharodon carcharias</i> (II)	<i>Lamna nasus</i> (III 27 Member States)	<b>Great white shark</b> Great white shark Porbeagle
ORECTOLOBIFORMES				
<b>Rhincodontidae</b>		<i>Rhincodon typus</i> (II)		<b>Whale sharks</b> Whale shark

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
PRISTIFORMES				
<b>Pristidae</b>				<b>Sawfishes</b>
	Pristidae spp. (I) (Except for the species included in Annex B)	<i>Pristis microdon</i> (II) (For the exclusive purpose of allowing international trade in live animals to appropriate and acceptable aquaria for primarily conservation purposes. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly)		Sawfishes  Freshwater sawfish
<b>ACTINOPTERYGII</b>				<b>Fish</b>
ACIPENSERIFORMES				
<b>Acipenseridae</b>		ACIPENSERIFORMES spp. (II) (Except for the species included in Annex A)		Sturgeons and paddlefish
	<i>Acipenser brevirostrum</i> (I)			<b>Sturgeons</b>
	<i>Acipenser sturio</i> (I)			Shortnose sturgeon Common sturgeon
ANGUILLIFORMES				
<b>Anguillidae</b>				<b>Freshwater eels</b>
		<i>Anguilla anguilla</i> (II)		European eel
CYPRINIFORMES				
<b>Catostomidae</b>				<b>Cui-ui</b>
	<i>Chasmistes cujus</i> (I)			Cui-ui



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Cyprinidae</b>		<i>Caecobarbus geertsi</i> (II)		<b>Blind carps, plaeesok</b> African blind barb fish Ikan temoleh
	<i>Probarbus jullieni</i> (I)			
OSTEOGLOSSIFORMES				
<b>Osteoglossidae</b>		<i>Arapaima gigas</i> (II)		<b>Arapaimas, bonytongues</b> Arapaima Asian arowana
	<i>Scleropages formosus</i> (I) <sup>(8)</sup>			
PERCIFORMES				
<b>Labridae</b>		<i>Cheilinus undulatus</i> (II)		<b>Wrasses</b> Humphead wrasse
<b>Sciaenidae</b>	<i>Totoaba macdonaldi</i> (I)			<b>Totoabas</b> Totoaba
SILURIFORMES				
<b>Pangasiidae</b>	<i>Pangasianodon gigas</i> (I)			<b>Pangasid catfish</b> Giant catfish
SYNGNATHIFORMES				
<b>Syngnathidae</b>		<i>Hippocampus</i> spp. (II)		<b>Pipefishes, seahorses</b> Seahorses
SARCOPTERYGII				
CERATODONTIFORMES				
<b>Ceratodontidae</b>		<i>Neoceratodus forsteri</i> (II)		<b>Australian lungfishes</b> Australian lungfish
COELACANTHIFORMES				
<b>Latimeriidae</b>	<i>Latimeria</i> spp. (I)			<b>Coelacanth</b> Coelacanth

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
ECHINODERMATA (STARFISH, BRITTLE STARS, SEA URCHINS AND SEA CUCUMBERS)				
<b>HOLOTHUROIDEA</b>				<b>Sea cucumbers</b>
ASPIDOCHIROTIDA				
<b>Stichopodidae</b>				<b>Sea cucumbers</b>
			<i>Isostichopus fuscus</i> (III Ecuador)	<b>Brown sea cucumber</b>
ARTHROPODA (ARTHROPODS)				
<b>ARACHNIDA</b>				<b>Spiders and scorpions</b>
ARANEAE				
<b>Theraphosidae</b>				<b>Red-kneed tarantulas, tarantulas</b>
		<i>Aphonopelma albiceps</i> (II)		
		<i>Aphonopelma pallidum</i> (II)		Chihuahua rose-grey tarantula
		<i>Brachypelma</i> spp. (II)		Central American tarantulas
SCORPIONES				
<b>Scorpionidae</b>				<b>Scorpions</b>
		<i>Pandinus dictator</i> (II)		
		<i>Pandinus gambiensis</i> (II)		Giant Senegalese scorpion
		<i>Pandinus imperator</i> (II)		Emperor scorpion
<b>INSECTA</b>				<b>Insects</b>
COLEOPTERA				Beetles
<b>Lucanidae</b>				<b>Stag beetles</b>
			<i>Colophon</i> spp. (III South Africa)	Cape stag beetles
<b>Scarabaeidae</b>				<b>Scarab beetles</b>
		<i>Dynastes satanas</i> (II)		Satanas beetle
LEPIDOPTERA				Butterflies

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>Nymphalidae</b>			<i>Agrias amydon boliviensis</i> (III Bolivia)  <i>Morpho godartii lachaumei</i> (III Bolivia)  <i>Prepona praeneste buckleyana</i> (III Bolivia)	
<b>Papilionidae</b>	<i>Ornithoptera alexandrae</i> (I)  <i>Papilio chikae</i> (I)  <i>Papilio homerus</i> (I) <i>Papilio hospiton</i> (I)	<i>Atrophaneura jophon</i> (II) <i>Atrophaneura palu</i> <i>Atrophaneura pandiyana</i> (II) <i>Bhutanitis</i> spp. (II) <i>Graphium sandawanum</i> <i>Graphium stresemanni</i> <i>Ornithoptera</i> spp. (II) (except for the species included in Annex A)  <i>Papilio benguetanus</i>  <i>Papilio esperanza</i>  <i>Papilio morondavana</i> <i>Papilio neumoegeni</i>		<b>Birdwing and swallowtail butterflies</b>  Sri Lankan rose Palu swallowtail butterfly Malabar rose Swallowtail butterflies Apo swallowtail butterfly Seram swallowtail Birdwing butterflies Queen Alexandra's birdwing  Luzon peacock swallowtail  Homerus swallowtail Corsican swallowtail Madagascan emperor swallowtail

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Parides ascanius</i> <i>Parides hahneli</i>		Fluminense swallowtail butterfly Hahnel's amazonian swallowtail butterfly
	<b><i>Parnassius apollo</i> (II)</b>	<i>Teinopalpus</i> spp. (II) <i>Trogonoptera</i> spp. (II) <i>Troides</i> spp. (II)		Mountain apollo Kaiser-I-Hind butterflies Birdwing butterflies Birdwing butterflies
	ANNELIDA (SEGMENTED WORMS AND LEECHES)			
<b>HIRUDINOIDEA</b> ARHYNCHOBDELLIDA <b>Hirudinidae</b>		<i>Hirudo medicinalis</i> (II) <i>Hirudo verbana</i> (II)		<b>Leeches</b>  <b>Leeches</b> Northern medicinal leech Southern medicinal leech
	MOLLUSCA (MOLLUSCS)			
<b>BIVALVIA</b> MYTILOIDA <b>Mytilidae</b>		<i>Lithophaga lithophaga</i> (II)		<b>Bivalve molluscs (clams, mussels etc.)</b>  <b>Marine mussels</b> European date mussel
UNIONOIDA <b>Unionidae</b>	<i>Conradilla caelata</i> (I)  <i>Dromus dromas</i> (I) <i>Epioblasma curtisii</i> (I) <i>Epioblasma florentina</i> (I) <i>Epioblasma sampsonii</i> (I)	<i>Cyprogenia aberti</i> (II)		<b>Freshwater mussels, pearly mussels</b> Birdwing pearly mussel Western fanshell mussel Dromedary pearly mussel Curtis' pearly mussel Yellow-blossom pearly mussel Wabash riffleshell

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Epioblasma sulcata perobliqua</i> (I)			White catspaw mussel
	<i>Epioblasma torulosa gubernaculum</i> (I)			Green-blossom pearly mussel
		<i>Epioblasma torulosa rangiana</i> (II)		Northern riffleshell
	<i>Epioblasma torulosa torulosa</i> (I)			Turbercled-blossom pearly mussel
	<i>Epioblasma turgidula</i> (I)			Turgid-blossom pearly mussel
	<i>Epioblasma walkeri</i> (I)			Tan riffleshell
	<i>Fusconaia cuneolus</i> (I)			Fine-rayed pigtoe pearly mussel
	<i>Fusconaia edgariana</i> (I)			Shiny pigtoe pearly mussel
	<i>Lampsilis higginsii</i> (I)			Higgins' eye pearly mussel
	<i>Lampsilis orbiculata orbiculata</i> (I)			Pink mucket pearly mussel
	<i>Lampsilis satur</i> (I)			Sandback pocketbook mussel
	<i>Lampsilis virescens</i> (I)			Alabama lamp pearly mussel
	<i>Plethobasus cicatricosus</i> (I)			White warty-back pearly mussel
	<i>Plethobasus cooperianus</i> (I)			Orange-footed pimpleback mussel
		<i>Pleurobema clava</i> (II)		Clubshell pearly mussel
	<i>Pleurobema plenum</i> (I)			Rough pigtoe pearly mussel
	<i>Potamilus capax</i> (I)			Fat pocketbook pearly mussel
	<i>Quadrula intermedia</i> (I)			Cumberland monkey-face pearly mussel
	<i>Quadrula sparsa</i> (I)			Appalachian monkey-face pearly mussel
	<i>Toxolasma cylindrella</i> (I)			Pale lilliput pearly mussel
	<i>Unio nickliniana</i> (I)			Nicklin's pearly mussel
	<i>Unio tampicoensis tecomatensis</i> (I)			Tampico pearly mussel
	<i>Villosa trabalis</i> (I)			Cumberland bean pearly mussel
VENEROIDA				<b>Giant clams</b>
<b>Tridacnidae</b>				

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
<b>GASTROPODA</b>		Tridacnidae spp. (II)		Giant clams
MESOGASTROPODA				<b>Slugs, snails and conches</b>
<b>Strombidae</b>				<b>Conches</b>
		<i>Strombus gigas</i> (II)		Queen conch
STYLOMMATOPHORA				<b>Agate snails, oahu tree snails</b>
<b>Achatinellidae</b>				Little agate shells
	<i>Achatinella</i> spp. (I)			<b>Green tree snail</b>
<b>Camaenidae</b>		<i>Papustyla pulcherrima</i> (II)		Manus green tree snail
CNIDARIA (CORALS, FIRE CORALS, SEA ANEMONES)				
<b>ANTHOZOA</b>				<b>Corals, sea anemones</b>
ANTIPATHARIA		ANTIPATHARIA spp. (II)		Black corals
GORGONACEAE				<b>Red and pink corals</b>
<b>Coralliidae</b>			<i>Corallium elatius</i> (III China)	
			<i>Corallium japonicum</i> (III China)	
			<i>Corallium konjoi</i> (III China)	
			<i>Corallium secundum</i> (III China)	
HELIOPORACEA				<b>Blue coral</b>
<b>Helioporidae</b>		Helioporidae spp. (II) (Includes only the species <i>Heliopora coerulea</i> ) <sup>(9)</sup>		Blue coral

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
SCLERACTINIA		SCLERACTINIA spp. (II) (9)		Stony corals
STOLONIFERA				
<b>Tubiporidae</b>		Tubiporidae spp. (II) (9)		<b>Organpipe corals</b> Organpipe corals
<b>HYDROZOA</b>				<b>Sea ferns, fire corals, stinging medusas</b>
MILLEPORINA				
<b>Milleporidae</b>		Milleporidae spp. (II) (9)		<b>Wello fire corals</b> Wello fire corals
STYLASTERINA				
<b>Stylasteridae</b>		Stylasteridae spp. (II) (9)		<b>Lace corals</b> Lace corals
		<b>FLORA</b>		
AGAVACEAE	<i>Agave parviflora</i> (I)	<i>Agave victoriae-reginae</i> (II) #4 <i>Nolina interrata</i> (II)		<b>Agaves</b> Santa Cruz striped agave Queen Victoria agave Dehesa bear-grass
AMARYLLIDACEAE		<i>Galanthus</i> spp. (II) #4 <i>Sternbergia</i> spp. (II) #4		<b>Amaryllids</b> Snowdrops Sternbergias
ANACARDIACEAE		<i>Operculicarya hyphaenoides</i> (II) <i>Operculicarya pachypus</i> (II)		Jabihiy Tabily
APOCYNACEAE		<i>Hoodia</i> spp. (II) #9		Hoodia

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		<i>Pachypodium</i> spp. (II) (Except for the species included in Annex A) #4		Elephant trunks
	<i>Pachypodium ambongense</i> (I)			
	<i>Pachypodium baronii</i> (I)			
	<i>Pachypodium decaryi</i> (I)			
ARALIACEAE		<i>Rauvolfia serpentina</i> (II) #2		Snake-root devil-pepper
		<i>Panax ginseng</i> (II) (Only the population of the Russian Federation; no other population is included in the Annexes to this Regulation) #3		<b>Aralias</b> Asian ginseng
		<i>Panax quinquefolius</i> (II) #3		American ginseng
ARAUCARIACEAE	<i>Araucaria araucana</i> (I)			<b>Araucarias</b> Monkey-puzzle tree
BERBERIDACEAE		<i>Podophyllum hexandrum</i> (II) #2		<b>Barberries</b> Himalayan may-apple
BROMELIACEAE		<i>Tillandsia harrisii</i> (II) #4		<b>Air plants, bromelias</b> Harris' tillandsia
		<i>Tillandsia kammii</i> (II) #4		Kamm's tillandsia
		<i>Tillandsia kautskyi</i> (II) #4		Kautsky's tillandsia
		<i>Tillandsia mauryana</i> (II) #4		Maury's tillandsia
		<i>Tillandsia sprengeliana</i> (II) #4		Sprengel's tillandsia
		<i>Tillandsia sucrei</i> (II) #4		Sucre tillandsia
		<i>Tillandsia xerographica</i> (II) <sup>(10)</sup> #4		Xerographic tillandsia
CACTACEAE				<b>Cacti</b>



## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
		CACTACEAE spp. (II) (Except for the species included in Annex A and <i>Pereskia</i> spp., <i>Peresklopsis</i> spp. and <i>Quiabentia</i> spp.) <sup>(1)</sup> #4		Cacti  Living rock cacti  Star cactus  Aztec cactus  Jobali pincushion cactus  Discocacti  Lindsay's hedgehog cacti  Lamb's-tail cactus  Nelle's cactus  Sneed's pincushion cactus  Conchilique  Pitayita  Conelike Turk's-cap cactus  Wonderfully-bristled Turk's cap cactus  Woolly waxy-stemmed Turk's-cap cactus  Few-spined Turk's-cap cactus  Artichoke cactus  Grenadier's cap  Brady's pincushion cactus  Knowlton's cactus  Houserock valley cactus  Peebles's Navajo cactus
	<i>Ariocarpus</i> spp. (I) <i>Astrophytum asterias</i> (I) <i>Aztekium ritteri</i> (I) <i>Coryphantha werdermannii</i> (I) <i>Discocactus</i> spp. (I) <i>Echinocereus ferreirianus</i> ssp. <i>lindsayi</i> (I) <i>Echinocereus schmollii</i> (I) <i>Escobaria minima</i> (I) <i>Escobaria sneedii</i> (I) <i>Mammillaria pectinifera</i> (I) <i>Mammillaria solisioides</i> (I) <i>Melocactus conoideus</i> (I) <i>Melocactus deinacanthus</i> (I) <i>Melocactus glaucescens</i> (I) <i>Melocactus paucispinus</i> (I) <i>Obregonia denegrii</i> (I) <i>Pachycereus militaris</i> (I) <i>Pediocactus bradyi</i> (I) <i>Pediocactus knowltonii</i> (I) <i>Pediocactus paradinei</i> (I) <i>Pediocactus peeblesianus</i> (I)			

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Pediocactus sileri</i> (I)			Siler's pincushion cactus
	<i>Pelecyphora</i> spp. (I)			Pine cane cactus
	<i>Sclerocactus brevihamatus</i> ssp. <i>tobuschii</i> (I)			Tobusch fishhook cactus
	<i>Sclerocactus erectocentrus</i> (I)			Needle-spined pineapple cactus
	<i>Sclerocactus glaucus</i> (I)			Uinta Basin hookless cactus
	<i>Sclerocactus mariposensis</i> (I)			Mariposa cactus
	<i>Sclerocactus mesae-verdae</i> (I)			Mesa Verde cactus
	<i>Sclerocactus nyensis</i> (I)			Tonopah fishhook cactus
	<i>Sclerocactus papyracanthus</i> (I)			Grama-grass cactus
	<i>Sclerocactus pubispinus</i> (I)			Great-Basin fishhook cactus
	<i>Sclerocactus wrightiae</i> (I)			Wright's fishhook cactus
	<i>Strombocactus</i> spp. (I)			Peyote
	<i>Turbincarpus</i> spp. (I)			Turbincarpus
	<i>Uebelmannia</i> spp. (I)			Uebelmann cacti
CARYOCARACEAE				<b>Ajos</b>
		<i>Caryocar costaricense</i> (II) #4		Ajillo
COMPOSITAE (ASTERACEAE)				<b>Asters, daisies, costus</b>
	<i>Saussurea costus</i> (I) (also known as <i>S. lappa</i> , <i>Aucklandia lappa</i> or <i>A. costus</i> )			Costus
CRASSULACEAE				<b>Dudleyas, crassulas</b>
		<i>Dudleya stolonifera</i> (II)		Laguna beach dudleya
		<i>Dudleya traskiae</i> (II)		Santa Barbara Island dudleya
CUCURBITACEAE				<b>Tobory</b>
		<i>Zygosicyos pubescens</i> (II) (also known as <i>Xerosicyos pubescens</i> )		Tobory

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
CUPRESSACEAE		<i>Zygosicyos tripartitus</i> (II)		Betoboky <b>Cypresses</b>
	<i>Fitzroya cupressoides</i> (I)			Alerce
	<i>Pilgerodendron uviferum</i> (I)			Pilgerodendron
CYATHEACEAE		<i>Cyathea</i> spp. (II) #4		<b>Tree ferns</b> Tree ferns
CYCADACEAE		CYCADACEAE spp. (II) (Except for the species included in Annex A) #4		<b>Cycads</b> Cycads
	<i>Cycas beddomei</i> (I)			Beddome's cycad
DICKSONIACEAE		<i>Cibotium barometz</i> (II) #4		<b>Tree ferns</b>
		<i>Dicksonia</i> spp. (II) (Only the populations of the Americas; no other populations are included in the Annexes to this Regulation. This includes the synonyms <i>Dicksonia berteriana</i> , <i>D. externa</i> , <i>D. sellowiana</i> and <i>D. stuebelii</i> ) #4		Tree ferns
DIDIEREACEAE		DIDIEREACEAE spp. (II) #4		<b>Didiereas</b>
		<i>Dioscorea deltoidea</i> (II) #4		Alluaudias, didiereas
DIOSCOREACEAE				<b>Yams</b>
		<i>Dioscorea deltoidea</i> (II) #4		Elephant's foot
DROSERACEAE		<i>Dionaea muscipula</i> (II) #4		<b>Sundews</b>
				Venus fly-trap
EBENACEAE			Ebonies	

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<p><i>Diospyros aculeata</i> (III Madagascar) (includes var. <i>meridionalis</i>) #5</p> <p><i>Diospyros analamerensis</i> (III Madagascar) #5</p> <p><i>Diospyros anosivolensis</i> (III Madagascar) #5</p> <p><i>Diospyros baroniana</i> (III Madagascar) #5</p> <p><i>Diospyros bemarivensis</i> (III Madagascar) #5</p> <p><i>Diospyros bernieri</i> (III Madagascar) #5</p> <p><i>Diospyros bernieriana</i> (III Madagascar) #5</p> <p><i>Diospyros bezofensis</i> (III Madagascar) #5</p> <p><i>Diospyros boinensis</i> (III Madagascar) #5</p> <p><i>Diospyros boivini</i> (III Madagascar) (includes var. <i>manongarivensis</i>) #5</p> <p><i>Diospyros calophylla</i> (III Madagascar) #5</p> <p><i>Diospyros cauchiana</i> (III Madagascar) #5</p> <p><i>Diospyros cinnamomoides</i> (III Madagascar) #5</p> <p><i>Diospyros clusifolia</i> (III Madagascar) #5</p>	

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<i>Diospyros conifera</i> (III Madagascar) #5  <i>Diospyros coursiana</i> (III Madagascar) #5  <i>Diospyros cupulifera</i> (III Madagascar) #5  <i>Diospyros danguyana</i> (III Madagascar) #5  <i>Diospyros decaryana</i> (III Madagascar) #5  <i>Diospyros dycorypheoides</i> (III Madagascar) (includes var. <i>meridionalis</i> ) #5  <i>Diospyros ebenifera</i> (III Madagascar) #5  <i>Diospyros enervis</i> (III Madagascar) #5  <i>Diospyros erinacea</i> (III Madagascar) #5  <i>Diospyros erythrosperma</i> (III Madagascar) #5  <i>Diospyros filipes</i> (III Madagascar) #5  <i>Diospyros fuscovelutina</i> (III Madagascar) #5  <i>Diospyros geayana</i> (III Madagascar) #5  <i>Diospyros gneissicola</i> (III Madagascar) #5	

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<p><i>Diospyros gracilipes</i> (III Madagascar) (includes vars <i>lecomtei</i>, <i>parvifolia</i>, <i>velutipes</i> and <i>subenervis</i>) #5</p> <p><i>Diospyros greveana</i> (III Madagascar) (includes var. <i>boinensis</i>) #5</p> <p><i>Diospyros haplostylis</i> (III Madagascar) (includes var. <i>hildebrandtii</i>) #5</p> <p><i>Diospyros hazomainty</i> (III Madagascar) #5</p> <p><i>Diospyros hemiteles</i> (III Madagascar) #5</p> <p><i>Diospyros heterosepala</i> (III Madagascar) #5</p> <p><i>Diospyros humbertiana</i> (III Madagascar) #5</p> <p><i>Diospyros humbertii</i> (III Madagascar) #5</p> <p><i>Diospyros implexicalyx</i> (III Madagascar) #5</p> <p><i>Diospyros ketsensis</i> (III Madagascar) #5</p> <p><i>Diospyros laevis</i> (III Madagascar) #5</p> <p><i>Diospyros lamiana</i> (III Madagascar) #5</p> <p><i>Diospyros lanceolata</i> (III Madagascar) #5</p> <p><i>Diospyros latispathulata</i> (III Madagascar) #5</p>	

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<i>Diospyros lenticellata</i> (III Madagascar) #5	
			<i>Diospyros leucomelas</i> (III Madagascar) #5	
			<i>Diospyros leucocalyx</i> (III Madagascar) #5	
			<i>Diospyros lokohensis</i> (III Madagascar) #5	
			<i>Diospyros louveli</i> (III Madagascar) #5	
			<i>Diospyros madagascariensis</i> (III Madagascar) #5	
			<i>Diospyros madecassa</i> (III Madagascar) #5	
			<i>Diospyros magnifolia</i> (III Madagascar) #5	
			<i>Diospyros manampetsae</i> (III Madagascar) #5	
			<i>Diospyros mangabensis</i> (III Madagascar) #5	
			<i>Diospyros mangorensis</i> (III Madagascar) #5	
			<i>Diospyros mapingo</i> (III Madagascar) #5	
			<i>Diospyros masoalensis</i> (III Madagascar) #5	
			<i>Diospyros mcphersonii</i> ( <i>Diospyros crassiflora</i> ) (III Madagascar) #5	
			<i>Diospyros meeusiana</i> (III Madagascar) #5	

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<i>Diospyros microrhombus</i> (III Madagascar) #5	
			<i>Diospyros montigena</i> (III Madagascar) #5	
			<i>Diospyros myriophylla</i> (III Madagascar) #5	
			<i>Diospyros myrtifolia</i> (III Madagascar) #5	
			<i>Diospyros myrtilloides</i> (III Madagascar) #5	
			<i>Diospyros natalensis</i> (III Madagascar) #5	
			<i>Diospyros neraudii</i> (III Madagascar) #5	
			<i>Diospyros nigricans</i> (III Madagascar) #5	
			<i>Diospyros nodosa</i> (III Madagascar) #5	
			<i>Diospyros obducta</i> (III Madagascar) #5	
			<i>Diospyros occlusa</i> (III Madagascar) #5	
			<i>Diospyros olacinoides</i> (III Madagascar) #5	
			<i>Diospyros onivensis</i> (III Madagascar) #5	
			<i>Diospyros parifolia</i> (III Madagascar) #5	
			<i>Diospyros parvifolia</i> (III Madagascar) #5	



## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<p><i>Diospyros perreticulata</i> (III Madagascar) #5</p> <p><i>Diospyros perrieri</i> (III Madagascar) #5</p> <p><i>Diospyros pervillei</i> (III Madagascar) #5</p> <p><i>Diospyros platycalyx</i> (III Madagascar) #5</p> <p><i>Diospyros pruinosa</i> (III Madagascar) #5</p> <p><i>Diospyros quartzitarium</i> (III Madagascar) #5</p> <p><i>Diospyros quercina</i> (III Madagascar) #5</p> <p><i>Diospyros revaughanii</i> (III Madagascar) #5</p> <p><i>Diospyros rubrolanata</i> (III Madagascar) #5</p> <p><i>Diospyros sakalavarum</i> (III Madagascar) (includes var. <i>mollifolia</i>) #5</p> <p><i>Diospyros sclerophylla</i> (III Madagascar) #5</p> <p><i>Diospyros seychellarum</i> (III Madagascar) #5</p> <p><i>Diospyros sphaerosepala</i> (III Madagascar) (includes var. <i>calyculata</i>) #5</p> <p><i>Diospyros stenocarpa</i> (III Madagascar) #5</p>	

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
			<p><i>Diospyros striicalyx</i> (III Madagascar) #5</p> <p><i>Diospyros subacuta</i> (III Madagascar) #5</p> <p><i>Diospyros subenervis</i> (III Madagascar) #5</p> <p><i>Diospyros subfalciformis</i> (III Madagascar) #5</p> <p><i>Diospyros subsessilifolia</i> (III Madagascar) #5</p> <p><i>Diospyros subtrinervis</i> (III Madagascar) #5</p> <p><i>Diospyros tampinensis</i> (III Madagascar) #5</p> <p><i>Diospyros tetraceros</i> (III Madagascar) #5</p> <p><i>Diospyros tetrapoda</i> (III Madagascar) #5</p> <p><i>Diospyros torquata</i> (III Madagascar) (includes var. <i>mabaoides</i>) #5</p> <p><i>Diospyros toxicaria</i> (III Madagascar) #5</p> <p><i>Diospyros tropophylla</i> (III Madagascar) #5</p> <p><i>Diospyros urschii</i> (III Madagascar) #5</p> <p><i>Diospyros velutipes</i> (III Madagascar) #5</p> <p><i>Diospyros vera</i> (III Madagascar) #5</p>	

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
EUPHORBIACEAE		<p><i>Euphorbia</i> spp. (II) #4 (Succulent species only except for:</p> <ol style="list-style-type: none"> <li>(1) <i>Euphorbia misera</i>;</li> <li>(2) artificially propagated specimens of cultivars of <i>Euphorbia trigona</i>;</li> <li>(3) artificially propagated specimens of <i>Euphorbia lactea</i> grafted on artificially propagated root stock of <i>Euphorbia nerifolia</i>, when they are: <ul style="list-style-type: none"> <li>— crested, or</li> <li>— fan-shaped, or</li> <li>— colour mutants;</li> </ul> </li> <li>(4) artificially propagated specimens of cultivars of <i>Euphorbia</i> 'Mili' when they are: <ul style="list-style-type: none"> <li>— readily recognisable as artificially propagated specimens, and</li> <li>— introduced into or (re-) exported from the Union in shipments of 100 or more plants;</li> </ul> </li> </ol> <p>which are not subject to the provisions of this Regulation, and</p> <ol style="list-style-type: none"> <li>(5) the species included in Annex A)</li> </ol>	<p><i>Diospyros vescoi</i> (III Madagascar) (includes var. <i>mandrarensis</i>) #5</p> <p><i>Diospyros viguieriana</i> (III Madagascar) #5</p>	<p><b>Spurges</b></p> <p>Euphorbias</p>

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<i>Euphorbia ambovombensis</i> (I) <i>Euphorbia capsaintemariensis</i> (I) <i>Euphorbia cremersii</i> (I) (Includes the forma <i>viridifolia</i> and the var. <i>rakotozafyi</i> ) <i>Euphorbia cylindrifolia</i> (I) (Includes the ssp. <i>tuberifera</i> ) <i>Euphorbia decaryi</i> (I) (Includes the vars. <i>ampanihyensis</i> , <i>robinsonii</i> and <i>sprirosticha</i> ) <i>Euphorbia francoisii</i> (I) <b><i>Euphorbia handiensis</i> (II)</b> <b><i>Euphorbia lambii</i> (II)</b> <i>Euphorbia moratii</i> (I) (Includes the vars. <i>antsingiensis</i> , <i>bemarahensis</i> and <i>multiflora</i> ) <i>Euphorbia parvicyathophora</i> (I) <i>Euphorbia quartziticola</i> (I) <b><i>Euphorbia stygiana</i> (II)</b> <i>Euphorbia tulearensis</i> (I)			
FOUQUIERIACEAE		<i>Fouquieria columnaris</i> (II) #4		<b>Ocotillos, boojums</b> Boojum tree Arbol del barril
GNETACEAE			<i>Gnetum montanum</i> (III Nepal) #1	<b>Joint firs</b>
JUGLANDACEAE		<i>Oreomunnea pterocarpa</i> (II) #4		<b>Walnuts, gavilan</b> Gavilán
LAURACEAE		<i>Aniba rosaeodora</i> (II) (also known as <i>A. duckei</i> ) #12		Brazilian rosewood

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
LEGUMINOSAE (FABACEAE)	<i>Dalbergia nigra</i> (I)	<i>Caesalpinia echinata</i> (II) #10	<i>Dalbergia darienensis</i> (III Panama) (population of Panama) #2  <i>Dalbergia louvelii</i> (III Madagascar) #5  <i>Dalbergia monticola</i> (III Madagascar) #5  <i>Dalbergia normandii</i> (III Madagascar) #5  <i>Dalbergia purpurascens</i> (III Madagascar) #5  <i>Dalbergia retusa</i> (III Guatemala/ Panama) (Only the populations of Guatemala #5 and Panama #2; all other populations are included in Annex D)  <i>Dalbergia stevensonii</i> (III Guatemala) (Only the population of Guatemala; all other popu- lations are included in Annex D) #5  <i>Dalbergia xerophila</i> (III Madagascar) #5  <i>Dipteryx panamensis</i> (III Costa Rica/Nicaragua)	<b>Legumes</b>  Brazil wood  Brazilian rosewood          Black rosewood       Honduras rosewood       Almendro   Afromosia  Quira macawood   Red sandalwood
		<i>Pericopsis elata</i> (II) #5		
		<i>Platymiscium pleiostachyum</i> (II) #4		
		<i>Pterocarpus santalinus</i> (II) #7		

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
LILIACEAE		<p><i>Aloe</i> spp. (II) (Except for the species included in Annex A and <i>Aloe vera</i>, also known as <i>Aloe barbadensis</i>, which is not included in the Annexes to this Regulation) #4</p> <p><i>Aloe albida</i> (I)</p> <p><i>Aloe albiflora</i> (I)</p> <p><i>Aloe alfredii</i> (I)</p> <p><i>Aloe bakeri</i> (I)</p> <p><i>Aloe bellatula</i> (I)</p> <p><i>Aloe calcairophila</i> (I)</p> <p><i>Aloe compressa</i> (I) (Includes the vars. <i>paucituberculata</i>, <i>rugosquamosa</i> and <i>schistophila</i>)</p> <p><i>Aloe delphinensis</i> (I)</p> <p><i>Aloe descoingsii</i> (I)</p> <p><i>Aloe fragilis</i> (I)</p> <p><i>Aloe haworthioides</i> (I) (Includes the var. <i>aurantiaca</i>)</p> <p><i>Aloe helenae</i> (I)</p> <p><i>Aloe laeta</i> (I) (Includes the var. <i>maniaensis</i>)</p> <p><i>Aloe parallelifolia</i> (I)</p> <p><i>Aloe parvula</i> (I)</p> <p><i>Aloe pillansii</i> (I)</p> <p><i>Aloe polyphylla</i> (I)</p> <p><i>Aloe rauhii</i> (I)</p> <p><i>Aloe suzannae</i> (I)</p> <p><i>Aloe versicolor</i> (I)</p> <p><i>Aloe vossii</i> (I)</p>		<p><b>Lilies</b></p> <p>Aloes</p>

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
MAGNOLIACEAE			<i>Magnolia liliifera</i> var. <i>obovata</i> (III Nepal) #1	<b>Magnolias</b>  Safan
MELIACEAE			<i>Cedrela fissilis</i> (III Bolivia) #5  <i>Cedrela lilloi</i> (III Bolivia) #5  <i>Cedrela odorata</i> (III Bolivia/ Brazil. In addition, the following countries have listed their national populations: Colombia, Guatemala and Peru) #5	<b>Mahoganies, cedars</b>     Spanish cedar
		<i>Swietenia humilis</i> (II) #4		Honduras mahogany
		<i>Swietenia macrophylla</i> (II) (Population of the Neotropics — includes Central and South America and the Caribbean) #6		Big-leaf mahogany
		<i>Swietenia mahagoni</i> (II) #5		Caribbean mahogany
NEPENTHACEAE		<i>Nepenthes</i> spp. (II) (Except for the species included in Annex A) #4		<b>Pitcher plants (old-world)</b>  Tropical pitcher plants
	<i>Nepenthes khasiana</i> (I)			Indian pitcher plant
	<i>Nepenthes rajah</i> (I)			Giant tropical pitcher plant

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
ORCHIDACEAE	<p>For all of the following Annex A orchid species, seedling or tissue cultures are not subject to the provisions of this Regulation, when:</p> <ul style="list-style-type: none"> <li>— they are obtained <i>in vitro</i>, in solid or liquid media, and</li> <li>— meet the definition of ‘artificially propagated’ in accordance with Article 56 of Commission Regulation (EC) No 865/2006, and</li> <li>— when introduced into or (re-)exported from the Union are transported in sterile containers</li> </ul> <p><i>Aerangis ellisii</i> (I)</p> <p><b><i>Cephalanthera cucullata</i> (II)</b></p> <p><b><i>Cypripedium calceolus</i> (II)</b></p> <p><i>Dendrobium cruentum</i> (I)</p> <p><b><i>Goodyera macrophylla</i> (II)</b></p> <p><i>Laelia jongheana</i> (I)</p> <p><i>Laelia lobata</i> (I)</p> <p><b><i>Liparis loeselii</i> (II)</b></p> <p><b><i>Ophrys argolica</i> (II)</b></p>	<p>ORCHIDACEAE spp. (II) (Except for the species included in Annex A) <sup>(12)</sup> #4</p>		<p><b>Orchids</b></p> <p>Orchids</p> <p>Hooded helleborine</p> <p>Lady’s slipper orchid</p> <p>Madeiran lady’s-tresses</p> <p>Fen orchid</p> <p>Eyed bee orchid</p>



▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
	<p><b><i>Ophrys lunulata</i> (II)</b></p> <p><b><i>Orchis scopulorum</i> (II)</b></p> <p><i>Paphiopedilum</i> spp. (I)</p> <p><i>Peristeria elata</i> (I)</p> <p><i>Phragmipedium</i> spp. (I)</p> <p><i>Renanthera imschootiana</i> (I)</p> <p><b><i>Spiranthes aestivalis</i> (II)</b></p>			<p>Crescent ophrys</p> <p>Madeiran orchid</p> <p>Asian slipper orchids</p> <p>Holy ghost orchid</p> <p>South American slipper orchids</p> <p>Red vanda</p> <p>Summer lady's-tresses</p>
OROBANCHACEAE		<i>Cistanche deserticola</i> (II) #4		<p><b>Broomrapes</b></p> <p>Desert cistanche</p>
PALMAE (ARECACEAE)	<p><i>Chrysalidocarpus decipiens</i> (I)</p>	<p><i>Beccariophoenix madagascariensis</i> (II) #4</p> <p><i>Lemurophoenix halleuxii</i> (II)</p>	<p><i>Lodoicea maldivica</i> (III Seychelles) #13</p>	<p><b>Palms</b></p> <p>Manarano</p> <p>Butterfly palm</p> <p>Hovitra varimena</p> <p>Coco de Mer</p>
PAPAVERACEAE		<p><i>Marojejya darianii</i> (II)</p> <p><i>Neodypsis decaryi</i> (II) #4</p> <p><i>Ravenea louvelii</i> (II)</p> <p><i>Ravenea rivularis</i> (II)</p> <p><i>Satranala decussilvae</i> (II)</p> <p><i>Voanioala gerardii</i> (II)</p>		<p>Ravimbe</p> <p>Triangle palm</p> <p>Lakamarefo</p> <p>Gora</p> <p>Satranabe</p> <p>Voanioala</p>
PASSIFLORACEAE			<i>Meconopsis regia</i> (III Nepal) #1	<p><b>Poppies</b></p> <p>Himalayan poppy</p>
		<i>Adenia olaboensis</i> (II)		Vahisasety

## ▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
PINACEAE	<i>Abies guatemalensis</i> (I)		<i>Pinus koraiensis</i> (III Russian Federation) #5	<b>Pine family</b> Guatemalan fir
PODOCARPACEAE			<i>Podocarpus neriifolius</i> (III Nepal) #1	<b>Podocarps</b> Yellow wood
	<i>Podocarpus parlatoresi</i> (I)			Parlatore's podocarp
PORTULACACEAE		<i>Anacampseros</i> spp. (II) #4 <i>Avonia</i> spp. (II) #4 <i>Lewisia serrata</i> (II) #4		<b>Portulacas, purslanes</b> Purslanes
PRIMULACEAE		<i>Cyclamen</i> spp. (II) <sup>(13)</sup> #4		<b>Primulas, cyclamens</b> Cyclamens
RANUNCULACEAE		<i>Adonis vernalis</i> (II) #2 <i>Hydrastis canadensis</i> (II) #8		<b>Buttercups</b> Yellow adonis Golden seal
ROSACEAE		<i>Prunus africana</i> (II) #4		<b>Roses, cherries</b> African cherry
RUBIACEAE	<i>Balmea stormiae</i> (I)			Ayugue Ayugue
SARRACENIACEAE	<i>Sarracenia oreophila</i> (I) <i>Sarracenia rubra</i> ssp. <i>alabamensis</i> (I) <i>Sarracenia rubra</i> ssp. <i>jonesii</i> (I)	<i>Sarracenia</i> spp. (II) (Except for the species included in Annex A) #4		<b>Pitcher plants (new world)</b> Pitcher plants  Green pitcher plant Alabama canebrake pitcher plant  Mountain sweet pitcher plant

## ▼M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
SCROPHULARIACEAE		<i>Picrorhiza kurrooa</i> (II) (excludes <i>Picrorhiza scrophulariiflora</i> ) #2		<b>Figworts</b> Indian gentian
STANGERIACEAE		<i>Bowenia</i> spp. (II) #4		<b>Stangerias (cycads)</b> Cycads
	<i>Stangeria eriopus</i> (I)			Stangeria
TAXACEAE		<i>Taxus chinensis</i> and infraspecific taxa of this species (II) #2		<b>Yews</b> Chinese yew
		<i>Taxus cuspidata</i> and infraspecific taxa of this species (II) <sup>(14)</sup> #2		Japanese yew
		<i>Taxus fuana</i> and infraspecific taxa of this species (II) #2		Tibetan yew
		<i>Taxus sumatrana</i> and infraspecific taxa of this species (II) #2		Sumatran yew
		<i>Taxus wallichiana</i> (II) #2		Himalayan yew
THYMELAEACEAE (AQUILARIACEAE)		<i>Aquilaria</i> spp. (II) #4		<b>Agarwood, ramin</b> Agarwood
		<i>Gonystylus</i> spp. (II) #4		Ramin
		<i>Gyrinops</i> spp. (II) #4		Agarwood

▼ M17

	<i>Annex A</i>	<i>Annex B</i>	<i>Annex C</i>	<i>Common name</i>
TROCHODENDRACEAE (TETRACENTRACEAE)			<i>Tetracentron sinense</i> (III Nepal) #1	<b>Tetracentrons</b>
VALERIANACEAE		<i>Nardostachys grandiflora</i> (II) #2		<b>Valerians</b>
VITACEAE		<i>Cyphostemma elephantopus</i> (II) <i>Cyphostemma montagnacii</i> (II)		Lazampasika Lazambohitra
WELWITSCHIACEAE		<i>Welwitschia mirabilis</i> (II) #4		<b>Welwitschias</b> Welwitschia
ZAMIACEAE	<i>Ceratozamia</i> spp. (I) <i>Chigua</i> spp. (I) <i>Encephalartos</i> spp. (I) <i>Microcycas calocoma</i> (I)	ZAMIACEAE spp. (II) (Except for the species included in Annex A) #4		<b>Cycads</b> Cycads Horncones Bread palms Palm corcho
ZINGIBERACEAE		<i>Hedychium philippinense</i> (II) #4		<b>Ginger lilies</b> Philippine garland-flower
ZYGOPHYLLACEAE		<i>Bulnesia sarmientoi</i> (II) #11 <i>Guaiacum</i> spp. (II) #2		<b>Lignum-vitae</b> Holy wood Lignum-vitae

## (1) Population of Argentina (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas of the populations included in Annex B, in cloth and in derived manufactured products and other handicraft artefacts. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio paragraph la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-ARGENTINA'. Other products must bear a label including the logotype and the designation 'VICUÑA-ARGENTINA-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

## (2) Population of Bolivia (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio paragraph la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-BOLIVIA'. Other products must bear a label including the logotype and the designation 'VICUÑA-BOLIVIA-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

## (3) Population of Chile (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas of the populations included in Annex B, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio paragraph la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-CHILE'. Other products must bear a label including the logotype and the designation 'VICUÑA-CHILE-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

## (4) Population of Peru (listed in Annex B):

For the exclusive purpose of allowing international trade in wool sheared from live vicuñas and in the stock extant at the time of the ninth meeting of the Conference of the Parties (November 1994) of 3 249 kg of wool, and in cloth and items made thereof, including luxury handicrafts and knitted articles. The reverse side of the cloth must bear the logotype adopted by the range States of the species, which are signatories to the Convenio paragraph la Conservación y Manejo de la Vicuña, and the selvages the words 'VICUÑA-PERU'. Other products must bear a label including the logotype and the designation 'VICUÑA-PERU-ARTESANÍA'. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

(5) All species are listed in Appendix II except *Balaena mysticetus*, *Eubalaena* spp., *Balaenoptera acutorostrata* (except population of West Greenland), *Balaenoptera bonaerensis*, *Balaenoptera borealis*, *Balaenoptera edeni*, *Balaenoptera musculus*, *Balaenoptera omurai*, *Balaenoptera physalus*, *Megaptera novaeangliae*, *Orcaella brevirostris*, *Orcaella heinsohni*, *Sotalia* spp., *Sousa* spp., *Eschrichtius robustus*, *Lipotes vexillifer*, *Caperea marginata*, *Neophocaena phocaenoides*, *Phocoena sinus*, *Physeter macrocephalus*, *Platanista* spp., *Berardius* spp., *Hyperoodon* spp., which are listed in Appendix I. Specimens of the species listed in Appendix II to the Convention, including products and derivatives other than meat products for commercial purposes, taken by the people of Greenland under licence granted by the competent authority concerned, shall be treated as belonging to Annex B. A zero annual export quota is established for live specimens from the Black Sea population of *Turstopus truncatus* removed from the wild and traded for primarily commercial purposes.

## (6) Populations of Botswana, Namibia, South Africa and Zimbabwe (listed in Annex B):

For the exclusive purpose of allowing: (a) trade in hunting trophies for non-commercial purposes; (b) trade in live animals to appropriate and acceptable destinations as defined in Resolution Conf. 11.20 for Botswana and Zimbabwe and for *in situ* conservation programmes for Namibia and South Africa; (c) trade in hides; (d) trade in hair; (e) trade in leather goods for commercial or non-commercial purposes for Botswana, Namibia and South Africa and for non-commercial purposes for Zimbabwe; (f) trade in individually marked and certified Ekipas incorporated in finished jewellery for non-commercial purposes for Namibia and ivory carvings for non-commercial purposes for Zimbabwe; (g) trade in registered raw ivory (for Botswana, Namibia, South Africa and Zimbabwe whole tusks and pieces) subject to the following: (i) only registered government-owned stocks, originating in the State (excluding seized ivory and ivory of unknown origin); (ii) only to trading partners that have been verified by the Secretariat, in consultation with the Standing Committee, to have sufficient national legislation and domestic trade controls to ensure that the imported ivory will not be re-exported and will be managed in accordance with all requirements of Resolution Conf. 10.10 (Rev. CoP14) concerning domestic manufacturing and trade; (iii) not before the Secretariat has verified the prospective importing countries and the registered government-owned stocks; (iv) raw ivory pursuant to the conditional sale of registered government-owned ivory stocks agreed at COP12 which are 20 000 kg (Botswana), 10 000 kg (Namibia), 30 000 kg (South Africa); (v) in addition to the quantities agreed at CoP12, government-owned ivory from Botswana, Zimbabwe, Namibia and South Africa registered by the 31 January 2007 and verified by the Secretariat may be traded and despatched, with the ivory in (g)(iv) in a single sale per destination under strict supervision of the Secretariat; (vi) the proceeds of the trade are used exclusively for elephant conservation and community conservation and development programmes within or adjacent to the elephant range; and (vii) the additional quantities specified in (g)(v) shall be traded only after the Standing Committee has agreed that the above conditions have been met; (h) no further proposals to allow trade in elephant ivory from populations already on Annex B shall be submitted to the Conference of the Parties for the period from CoP14 and ending nine years from the date of

the single sale of ivory that is to take place in accordance with provisions in paragraph (g)(i), (g)(ii), (g)(iii), (g)(vi), and (g)(vii). In addition, such further proposals shall be dealt with in accordance with Decisions 14.77 and 14.78. On a proposal from the Secretariat, the Standing Committee can decide to cause this trade to cease partially or completely in the event of non-compliance by exporting or importing countries, or in the case of proven detrimental impacts of the trade on other elephant populations. All other specimens shall be deemed to be specimens of species included in Annex A and the trade in them shall be regulated accordingly.

(7) The following species are the only ones considered to be included in Appendix II: *Agalychnis annae*, *Agalychnis callidryas*, *Agalychnis moreletii*, *Agalychnis saltator* and *Agalychnis spurrelli*.

(8) This listing includes the newly described taxon *Scleropages inscriptus*.

(9) The following are not subject to the provisions of this Regulation:

Fossils;

Coral sand, that is to say, material consisting entirely or in part of finely crushed fragments of dead coral no larger than 2 mm in diameter and which may also contain, amongst other things, the remains of Foraminifera, mollusc and crustacean shell, and coralline algae;

Coral fragments (including gravel and rubble), that is to say, unconsolidated fragments of broken finger-like dead coral and other material between 2 and 30 mm measured in any direction.

(10) Trade of specimens with source code A is allowed only if specimens traded possess cataphylls.

(11) Artificially propagated specimens of the following hybrids and/or cultivars are not subject to the provisions of this Regulation:

*Hattoria* x *graeseri*

*Schlumbergera* x *buckleyi*

*Schlumbergera russelliana* x *Schlumbergera truncata*

*Schlumbergera orssichiana* x *Schlumbergera truncata*

*Schlumbergera opuntoides* x *Schlumbergera truncata*

*Schlumbergera truncata* (cultivars)

Cactaceae spp. colour mutants grafted on the following grafting stocks: *Harrisia* 'Jusbertii', *Hylocereus trigonus* or *Hylocereus undatus*

*Opuntia microdasys* (cultivars)

(12) Artificially propagated hybrids of *Cymbidium*, *Dendrobium*, *Phalaenopsis* and *Vanda* are not subject to the provisions of this Regulation, when specimens are readily recognisable as artificially propagated and do not show any signs of having been collected in the wild such as mechanical damage or strong dehydration resulting from collection, irregular growth and heterogeneous size and shape within a taxon and shipment, algae or other epiphyllous organisms adhering to leaves, or damage by insects or other pests; and

(a) when shipped in non-flowering state, the specimens must be traded in shipments consisting of individual containers (such as cartons, boxes, crates or individual shelves of CC-containers) each containing 20 or more plants of the same hybrid; the plants within each container must exhibit a high degree of uniformity and healthiness; and the shipment must be accompanied by documentation, such as an invoice, which clearly states the number of plants of each hybrid; or

(b) when shipped in flowering state, with at least one fully open flower per specimen, no minimum number of specimens per shipment is required but specimens must be professionally processed for commercial retail sale, e.g. labelled with printed labels or packaged with printed packages indicating the name of the hybrid and the country of final processing. This should be clearly visible and allow easy verification.

Plants not clearly qualifying for the exemption must be accompanied by appropriate CITES documents.

(13) Artificially propagated specimens of cultivars of *Cyclamen persicum* are not subject to the provisions of this Regulation. However, the exemption does not apply to such specimens traded as dormant tubers.

(14) Artificially propagated hybrids and cultivars of *Taxus cuspidata*, live, in pots or other small containers, each consignment being accompanied by a label or document stating the name of the taxon or taxa and the text 'artificially propagated', are not subject to the provisions of this Regulation.